

AD-A081 077

DAVID W TAYLOR NAVAL SHIP RESEARCH AND DEVELOPMENT CE--ETC F/6 13/11
FINITE ELEMENT ANALYSIS OF PIPE ELBOWS. (U)
FEB 80 M S MARCUS, G C EVERSTINE
DTNSRDC/CHLD-79/15

UNCLASSIFIED

NL

| of /
40
4081077

END
DATE
3-80
DOC

LEVEL
12



DAVID W. TAYLOR NAVAL SHIP RESEARCH AND DEVELOPMENT CENTER

Bethesda, Md. 20084


MDA 081 077

FINITE ELEMENT ANALYSIS OF PIPE ELBOWS

by

Melvyn S. Marcus and Gordon C. Everstine

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED.



FINITE ELEMENT ANALYSIS OF PIPE ELBOWS

DOC FILE COPY


COMPUTATION, MATHEMATICS, AND LOGISTICS DEPARTMENT
DEPARTMENTAL REPORT

February 1980

DTNSRDC/CMLD-79/15

80 2 25 064

MAJOR DTNSRDC ORGANIZATIONAL COMPONENTS



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DTNSRDC/CMLD-79/15	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER 9
4. TITLE (and Subtitle) 6 FINITE ELEMENT ANALYSIS OF PIPE ELBOWS		5. DATE OF REPORT & PERIOD COVERED Final Part Oct 78 - Sep 79
7. AUTHOR(s) 10 Melvyn S. Marcus ■ Gordon C. Everstine		8. CONTRACT OR GRANT NUMBER(s) 16/SO 348
9. PERFORMING ORGANIZATION NAME AND ADDRESS David W. Taylor Naval Ship Research and Development Center Bethesda, Maryland 20084		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 63561N/S0348001, Task 21302 Work Unit: 1-2740-163
11. CONTROLLING OFFICE NAME AND ADDRESS 11 S4-4-791		12. REPORT DATE FEBRUARY 1980
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		13. NUMBER OF PAGES 96
15. SECURITY CLASS. (of this report) UNCLASSIFIED 13 96		
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE		
16. DISTRIBUTION STATEMENT (of this Report) APPROVED FOR PUBLIC RELEASE: DISTRIBUTION UNLIMITED.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Finite Element Stress Analysis Pipe NASTRAN Elbow		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) NASTRAN analyses were performed with three different finite element models on a 90-degree pipe elbow to determine principal stresses due to internal pressure, inplane bending, out-of-plane bending, and torsion moment loadings. Comparison with stresses experimentally obtained under the four loading conditions demonstrates the adequacy of a finite element model with ideal geometry assumptions and an economical mesh spacing. Implementation of the NASTRAN modeling is described in detail. Deck set-ups for a sequence of (Continued on reverse side)		

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 68 IS OBSOLETE
S/N C102-014-6601

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

41069417

JC B

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

(Block 20 continued)

Computer runs to automatically generate NASTRAN input data, execute NASTRAN, and postprocess NASTRAN output are included. A sample NASTRAN data input file is also listed.

Accession For	
NTIS GRA&I	
DDC TAB	
Unannounced	
Justification	
By _____	
Distribution:	
Available in _____	
Dist	Aval. hard/or special

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

TABLE OF CONTENTS

	Page
LIST OF FIGURES.....	iv
LIST OF TABLES.....	iv
ABSTRACT.....	1
BACKGROUND.....	1
STATEMENT OF THE PROBLEM.....	2
THE NASTRAN MODELS.....	4
THE DATA GENERATOR.....	7
SOLUTION SEQUENCE.....	11
FLEXIBILITY FACTORS.....	13
RESULTS AND DISCUSSION.....	14
ACKNOWLEDGMENTS.....	24
REFERENCES.....	25
APPENDIX A - LISTING OF DECK TO CREATE UPDATE PROGRAM LIBRARY, COMPILE SOURCE CODE, AND CATALOG EXECUTABLE CODE FOR ELBOW DATA GENERATOR.....	27
APPENDIX B - LISTING OF DECK TO EXECUTE ELBOW DATA GENERATOR AND CREATE NASTRAN INPUT DATA FILE FOR MESH A.....	35
APPENDIX C - LISTING OF DECK TO EXECUTE NASTRAN AND SAVE STRESSES AT MIDDLE OF ELBOW.....	39
APPENDIX D - LISTING OF DECK TO SMOOTH PRINCIPAL STRESSES AND CREATE SOLUTION FILE IN PLOTQUICK FORMAT.....	41
APPENDIX E - LISTING OF NASTRAN INPUT DATA FILE FOR MESH A.....	45

LIST OF FIGURES

	Page
1 - Geometry and Coordinate Systems of Pipe Elbow ME-1.....	3
2 - Finite Element Model of Elbow (Mesh A).....	8
3 - Comparison of Polygonal and Smoothed Plots of Major Principal Stress at Middle of Elbow Due to Inplane Moment Load (Mesh A).....	12
4 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Major Principal Stress, Pressure Load.....	16
5 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Minor Principal Stress, Pressure Load.....	17
6 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Major Principal Stress, Inplane Moment Load.....	18
7 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Minor Principal Stress, Inplane Moment Load.....	19
8 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Major Principal Stress, Out-of-Plane Moment Load.....	20
9 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Minor Principal Stress, Out-of-Plane Moment Load.....	21
10 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Major Principal Stress, Torsion Moment Load.....	22
11 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Minor Principal Stress, Torsion Moment Load.....	23

LIST OF TABLES

1 - Measured Values of Wall Thickness for ME-1.....	1
2 - Measured Values of Outside Diameter for ME-1.....	6

LIST OF TABLES (Continued)

	Page
3 - Summary of Finite Element Analyses.....	9
4 - Flexibility Factors for Mesh A.....	15

ABSTRACT

NASTRAN analyses were performed with three different finite element models on a 90-degree pipe elbow to determine principal stresses due to internal pressure, inplane bending, out-of-plane bending, and torsion moment loadings. Comparison with stresses experimentally obtained under the four loading conditions demonstrates the adequacy of a finite element model with ideal geometry assumptions and an economical mesh spacing. Implementation of the NASTRAN modeling is described in detail. Deck set-ups for a sequence of computer runs to automatically generate NASTRAN input data, execute NASTRAN, and postprocess NASTRAN output are included. A sample NASTRAN data input file is also listed.

BACKGROUND

The objective of one of DTNSRDC's programs is to reduce the size and weight of sea-water piping systems sufficiently to achieve the design goals. This objective can be accomplished in several ways: (1) by using higher strength materials, (2) by improving fabrication techniques, (3) by better designs, and (4) by less conservative structural acceptance criteria and stress factors. The third and fourth alternatives require the application of more refined structural analysis methods such as the finite element method (FEM). With the FEM, the analyst can gain a more accurate understanding of general end point motions, which influence piping system designs, as well as of motions and stresses in the piping systems themselves.

The design of piping systems depends on a knowledge of the stresses and deflections of the pipes due to the anticipated service loads. In general, these loads may be either static or dynamic. The static category includes pressure, moment, and thermal loads; the dynamic includes shock loadings. For any of these loads, the most critical locations are usually in components such as elbows and tees. It is well known, for example, that a curved pipe does not respond to bending loads in the way predicted by elementary beam theory, which is usually adequate for straight pipes.

This report describes finite element analyses of piping elbows subjected to both pressure and moment loads. The NASTRAN finite element structural analysis computer program was used. Stresses and flexibility factors were computed, and the stresses were compared to experiment. The two main purposes of the work were:

- (1) to determine modeling conditions (including mesh size and ideal geometry assumptions) for which a NASTRAN finite element analysis of the pipe elbow would yield results in good agreement with experiment, and
- (2) to provide deck set-ups for NASTRAN data generation and solution implementation which could be used to automate a computerized parameter study of pipe elbows.

Such a study, for example, could yield basic information on the structural behavior of elbows. Also, given the increased accuracy and reliability attainable with finite element models, compared to the less precise traditional methods, the studies could be conducted in accordance with less conservative design rules similar to those of the ASME Section III nuclear pressure vessel code.

STATEMENT OF THE PROBLEM

The structure to be analyzed is the 10-inch, schedule 40, 90-degree carbon steel pipe elbow referred to as ME-1 by the Reactor Division of the Oak Ridge National Laboratory.^{1*} This elbow, one of four machined at Oak Ridge to test the effects of thinning and ovalling, was machined so as to simulate as far as possible an elbow with ideal (uniform) geometry. Details on the geometry of ME-1 are shown in Figure 1. Oak Ridge also

*A complete listing of references is given on page 25.




Figure 1 - Geometry and Coordinate Systems of Pipe Elbow ME-1

made measurements of the actual wall thickness and elbow diameter for the test model; these measurements are listed in Tables 1 and 2, respectively. All values in each table were averaged to obtain the average wall thickness and outside diameter values of 0.390 inch and 10.716 inches, respectively. Thus the average value of mean radius (to middle of wall) is 5.163 inches.

This elbow structure was subjected to four different loadings:

- (1) internal pressure of 75.53 psi
- (2) in-plane moment of 32,660 in-lb ($M_3 = -32660$ in Figure 1)
- (3) out-of-plane moment of 32,660 in-lb ($M_1 = 32660$ in Figure 1)
- (4) torsional moment of 32,660 in-lb ($M_2 = 32660$ in Figure 1)

These loads were also used for the analysis.

The material properties of carbon steel are $E = 2.9 \times 10^7$ psi (Young's modulus) and $\nu = 0.3$ (Poisson's ratio).

THE NASTRAN MODELS

Three analyses were performed:

Mesh A -- a uniformly spaced mesh of finite elements (Figure 2) for an ideal (uniform geometry) elbow having the same thickness and diameter throughout; the values used for the wall thickness and middle radius were the mean values computed from Tables 1 and 2: 0.390 inch and 5.163 inches, respectively.

Mesh B -- similar to Mesh A except that the number of elements in each direction was increased by 50%.

Mesh C -- a uniformly spaced mesh of finite elements for the actual elbow ME-1 as measured and tabulated in Tables 1 and 2; the mesh spacing was the same as for Mesh A, the coarser of the two idealized models.

For the ideal models (Meshes A and B), the structure is symmetric with respect to the plane $Z_0 = 0$ in Figure 1, so that only one-half of the structure need be modeled. Although the actual geometry used for Mesh C does not exhibit the same symmetry, such symmetry was assumed here also, and only half the structure was modeled. This assumption is equivalent to assuming that the nonsymmetry in the thickness variation on the unmodeled side ($Z_0 < 0$) has little effect on the solution on the modeled side

TABLE 1 - MEASURED VALUES OF WALL THICKNESS FOR ME-1

ϕ (degrees)	Wall Thickness (in inches) at						St. 9	St. 10
	St. 4	St. 5	St. 6	St. 7	St. 8			
0	0.395	0.389	0.404	0.402	0.384	0.388	0.381	
22.5	0.394	0.392	0.401	0.399	0.384	0.393	0.391	
45.0	0.394	0.389	0.406	0.401	0.381	0.378	0.398	
67.5	0.398	0.398	0.396	0.398	0.385	0.376	0.401	
90.0	0.396	0.397	0.398	0.404	0.386	0.392	0.392	
112.5	0.394	0.383	0.386	0.393	0.381	0.379	0.385	
135.0	0.395	0.375	0.382	0.393	0.384	0.378	0.381	
157.5	0.394	0.380	0.382	0.393	0.379	0.384	0.380	
180.0	0.390	0.389	0.388	0.383	0.386	0.386	0.380	
202.5	0.396	0.391	0.388	0.389	0.389	0.391	0.387	
225.0	0.395	0.380	0.382	0.386	0.402	0.392	0.397	
247.5	0.394	0.366	0.372	0.374	0.389	0.383	0.387	
270.0	0.396	0.381	0.406	0.401	0.391	0.406	0.401	
292.5	0.390	0.383	0.393	0.390	0.390	0.394	0.394	
315.0	0.390	0.384	0.394	0.383	0.391	0.389	0.394	
337.5	0.391	0.382	0.399	0.406	0.395	0.388	0.390	

TABLE 2 - MEASURED VALUES OF OUTSIDE DIAMETER FOR ME-1

ϕ (degrees)	St. 4	St. 5	St. 6	St. 7	St. 8	St. 9	St. 10
0	10.765	10.729	10.730	10.705	10.735	10.750	10.787
22.5	10.765	10.735	10.720	10.725	10.710	10.741	10.797
45.0	10.738	10.700	10.690	10.717	10.685	10.705	10.759
67.5	10.738	10.677	10.671	10.690	10.664	10.677	10.700
90.0	10.700	10.680	10.672	10.680	10.660	10.690	10.681
112.5	10.713	10.680	10.675	10.695	10.694	10.716	10.732
135.0	10.735	10.695	10.685	10.707	10.715	10.728	10.762
157.5	10.758	10.703	10.713	10.740	10.737	10.745	10.807

Average O.D. = 10.716 in.

($Z_0 \geq 0$). Since a deliberate attempt was made to machine the ME-1 model to minimize thickness variations, this is probably a reasonable assumption.

For all three meshes, the elbow and its adjoining straight sections were modeled with flat plate finite elements (the NASTRAN element QUAD2) which have both membrane and bending stiffness. As indicated in Figure 1, one end was completely fixed, and the other end (where loads are applied) was connected to a stiff flange (which was assumed to be rigid in the finite element model).

The bulk of the NASTRAN data deck for each model was generated by a computer program called PIPELB, described briefly in the next section.

The finite element (QUAD2) used in these models yields stresses at element centroids. Hence, to facilitate comparison with experiment at the middle of the elbow ($\theta = 45^\circ$), an odd number of elements was used in the longitudinal direction.

Figure 2 shows the Mesh A finite element model. This plot was generated using the Structural Analysis via Generalized Interactive Graphics (STAGING) system.²

The characteristics of the three meshes are summarized in Table 3. In all three cases, the element aspect ratios within the elbow were selected so as not to deviate significantly from unity, which is the optimum aspect ratio for the QUAD2 finite element.

THE DATA GENERATOR

The computer program PIPELB was written to generate NASTRAN data for THETA-degree elbows of ideal or non-ideal geometry adjoined on both sides by straight sections of arbitrary length. In addition to the GRID cards, which locate the finite element mesh points, the program also generates the plating (NASTRAN data card CQUAD2), pressure loading (PLOAD2), symmetry and other constraints (SPC), and flags for congruent elements (CNGRNT). As added conveniences, PIPELB will automatically generate the set of element identification numbers (ID's) for the mid-THETA elements which constitute the solution set for stresses; flexible spokes (CBAR) radiating from the centers of both elbow end-circles which facilitate the




Figure 2 - Finite Element Model of Elbow (Mesh A)

TABLE 3 - SUMMARY OF FINITE ELEMENT ANALYSES

Structure Being Analyzed: Pipe Elbow ME-1 (See Figure 1)

Modeling and Computational Parameters		Mesh A	Mesh B	Mesh C
Ideal or actual geometry	ideal	ideal	ideal	actual
Mean radius of pipe	5.163 in.	5.163 in.	5.163 in.	see Tables 1,2 see Table 1
Thickness of pipe	0.390 in.	0.390 in.	0.390 in.	see Tables 1,2 see Table 1
No. of elements in circumferential direction	12	18	12	
No. of elements longitudinally spanning 90° elbow	17	27	17	
No. of elements longitudinally spanning 21.0° straight section	11	16	11	
No. of elements longitudinally spanning 20.5° straight section	11	16	11	
Total number of elements	468	1062	468	
Number of grid points	520	1140	520	
Number of degrees of freedom	2745	6273	2745	
Average matrix wavefront	79	116	79	
NASTRAN CP time (CDC 6400)	949 sec.	2850 sec.	1339 sec.	

computation of flexibility factors; a rigid element (CRIGDI) at the free (loaded) end of the pipe; and the end cap longitudinal load (FORCE) due to unit internal pressure.

The data generator defines grid locations within the elbow section in terms of a local cylindrical coordinate system (ID number 1 in Figure 1) defined by

$$\begin{aligned} R &= RBEND - RPIPE \cdot \cos \phi \\ T &= \theta_1 \\ Z &= RPIPE \cdot \sin \phi \end{aligned} \tag{1}$$

where RBEND is the elbow bend radius measured to the pipe centerline, RPIPE is the mean pipe radius, ϕ is the angle spanning the pipe half-circumference, and θ_1 is the angle spanning the elbow arc of THETA degrees. (Other coordinate systems used in the NASTRAN data deck are defined in Figure 1.) The grid marking system defines the grid ID's as

$$\text{GRID ID} = 1000 \cdot (500 + ITH) + IPH \tag{2}$$

where ITH and IPH are θ_1 and ϕ , respectively, rounded to the nearest integer. The element ID assigned to each quadrilateral is equal to the GRID ID that would be assigned for a node located at the element centroid.

For example, for Mesh A, the elbow was modeled with 17 elements covering the 90° elbow arc longitudinally (i.e., a spacing of 5.294°) and 12 elements covering 180° (i.e., a spacing of 15°) in the circumferential direction. Thus, for this mesh, point 51100 is at the intrados (the inside edge), 511090 is at the top, and 511180 is at the extrados (the outside edge) of the elbow, with all three points at $\theta_1 = 10.588^\circ$.

The shell was modeled with plate elements (NASTRAN data card CQUAD2). Symmetry constraints were applied with SPC's at $\phi = 0^\circ$ and $\phi = 180^\circ$. An internal pressure loading was specified using a PLOAD2 card for each plate element, and the resultant longitudinal load at the closed free end (due to the pressure) was specified with a FORCE card. The inplane bending, out-of-plane bending, and torsion moment loads were applied at the rigid flange at the free end using MOMENT cards. All grid points at the fixed end were constrained in all six degrees of freedom.

Appendix A provides a listing of the card deck needed to create an UPDATE program library, compile source code, and catalog executable code for the data generator PIPELB.

Appendix B gives a listing of a typical card deck needed to execute the data generator and create a data file suitable for input to NASTRAN. The specific example used in Appendix B is for Mesh A. The result of executing this step is the NASTRAN data deck, which is listed in Appendix E. Various sections of this data deck have been labeled with comment cards, which have a \$ in card column number one.

For Mesh C, which uses the measured geometry as listed in Tables 1 and 2, the data generator interpolates to obtain pipe thicknesses at element centroids and to obtain pipe radii at the grid points. This interpolation is performed within the generator in subroutine FIND. For Mesh C, each element has a unique thickness and hence a unique property card (PQUAD2).

SOLUTION SEQUENCE

The general computational approach is to perform the following steps:

Step 1: Compile the elbow data generator, and catalog an executable form of the program. See Appendix A.

Step 2: For the desired mesh, execute the generator, and create and store the NASTRAN data deck. See Appendix B.

Step 3: Using the data deck created in Step 2, execute NASTRAN and save (on a permanent file) the stresses at the desired location ($\theta_1 = 45^\circ$).

See Appendix C for a listing of control cards to accomplish this.

Step 4: Smooth the stress curves in preparation for plotting, storing the results. Figure 3 shows a typical plot of the type desired, where various stresses at the section $\theta_1 = 45^\circ$ are plotted as a function of ϕ , the circumferential coordinate. As can be seen in Figure 3, the smoothing merely provides a more attractive display of the results. The smoothing in Figure 3 was obtained by using the B-spline³ application subprogram CRVFIT.^{4,5} See Appendix D for a listing of the deck to read the NASTRAN principal stresses and perform the smoothing.




Figure 3 - Comparison of Polygonal and Smoothed Plots of Major Principal Stress at Middle of Elbow Due to Implane Moment Load (Mesh A)

Step 5: Plot the smoothed results using the informally documented interactive computer graphics package PLOT QUICK developed by Mr. Melvin E. Haas of DTNSRDC (Code 1843).

FLEXIBILITY FACTORS

The finite element models also allow for the convenient determination of flexibility factors, which are of vital interest to piping systems designers. To avoid confusion, the term "flexibility factor," as used in this report, will be defined precisely. The flexibility factor k of a piping component is defined as the ratio of a relative rotation of that component to a nominal rotation:

$$k = \frac{\theta_{ab}}{\theta_{nom}} \quad (3)$$

where

θ_{ab} = rotation of end "a" of the piping component relative to end "b" of that component due to a moment loading M , and in the direction of M .

θ_{nom} = nominal rotation of an equal length of straight pipe due to the moment M .

For elbows, the nominal rotation is computed using simple beam theory, in which case one obtains

$$\theta_{nom} = \frac{ML}{EI} \quad (4)$$

for inplane and out-of-plane moments, and

$$\theta_{nom} = \frac{ML}{GJ} \quad (5)$$

for torsional moments, where

M = applied moment load

L = arc length of elbow

E = Young's modulus of material

G = shear modulus of material

I = moment of inertia of cross-section

J = torsional constant of cross-section (equal to the polar moment

of inertia for circular cross-sections)

For 90° elbows, $L = \pi R/2$, where R is the bend radius.

The determination of the relative rotation θ_{ab} from the finite element model is complicated by the fact that plane cross-sections do not remain plane after deformation, so that each point on the surface of the shell has a different rotation. However, an "average" rotation for a cross-section may be obtained by connecting very flexible beam spokes from each shell grid point to a new grid point located at the center of the circular cross-section. The rotation of this center point may be used as the average rotation for the cross-section. For Mesh A, the center point at Station 4 in Figure 1 is labeled 590500 (end "a") and at Station 10, 500500 (end "b").

Table 4 shows the details of the flexibility factor calculations for the three moment loads for Mesh A.

RESULTS AND DISCUSSION

Principal stresses were computed by NASTRAN at the middle of the elbow ($\theta_1 = 45^\circ$) and compared to experimental results obtained at the Oak Ridge National Laboratory.¹ These stresses were computed for four separate loading conditions:

- 1) internal pressure of 75.53 psi
- 2) inplane bending moment of 32,660 in-lb
- 3) out-of-plane bending moment of 32,660 in-lb
- 4) torsional moment of 32,660 in-lb

Figures 4-11 compare the smoothed NASTRAN stress curves as computed using Meshes A, B, and C with the experimental data points. The major and minor principal stress results are presented on alternating figures for each of the four loading conditions. Note that placing more strain gauges on the outer surface than on the inner surface of the pipe wall resulted in a greater number of experimental data points there. Also, for selected experiments, some gauge results were missing.

The following conclusions may be drawn from Figures 4-11:

1. The NASTRAN results using Meshes A and B (both ideal geometry) are in good overall agreement with the experimental results. Although

TABLE 4 - FLEXIBILITY FACTORS FOR MESH A

Moment Load	θ_a (rad)	θ_b	$\theta_{ab} = \theta_b - \theta_a$	θ_{nom}	k
In-plane	1.32×10^{-4}	11.08×10^{-4}	9.76×10^{-4}	1.57×10^{-4}	6.2
Out-of-plane	1.78×10^{-4}	7.19×10^{-4}	5.41×10^{-4}	1.57×10^{-4}	3.4
Torsion	1.32×10^{-4}	6.79×10^{-4}	5.47×10^{-4}	2.04×10^{-4}	2.7

flexibility factor = $k = \frac{\theta_{ab}}{\theta_{nom}}$





Figure 4 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Major Principal Stress, Pressure Load




Figure 5 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Minor Principal Stress, Pressure Load




Figure 6 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Major Principal Stress, Inplane Moment Load




Figure 7 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Minor Principal Stress, Inplane Moment Load




Figure 8 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Major Principal Stress, Out-of-Plane Moment Load




Figure 9 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Minor Principal Stress, Out-of-Plane Moment Load




Figure 10 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Major Principal Stress, Torsion Moment Load




Figure 11 - Comparison of Computed and Experimental Stresses at Middle of Elbow - Minor Principal Stress, Torsion Moment Load

the coarser model (Mesh A) is non-conservative in that it underestimates (in absolute value) the stresses, its prediction of peak principal stresses is nevertheless excellent.

2. The Mesh C (actual geometry) results indicate that, except for internal pressure loading, the small variations in geometry shown in Tables 2 and 3 play an insignificant role in the stress computations. (The Oak Ridge researchers found in their more extensive experiments¹ that ovality in the pipe cross-section had a major influence on stresses only for pressure loading.)

3. When a large series of computer runs (e.g., a parameter study of pipe elbows) is contemplated, the gain in accuracy achieved with Mesh B (which has a fifty percent finer mesh spacing than Mesh A) would probably not be cost-effective. (The CDC 6400 computer charge at DTNSRDC was \$292 for Mesh B compared to \$99 for Mesh A.)

ACKNOWLEDGMENTS

The authors acknowledge with pleasure the fruitful discussions held with Mr. L. Kaldor and Dr. Y.P. Lu, both of the Engineering Analysis Branch (Code 2744), DTNSRDC.

REFERENCES

1. Dodge, W.G. and S.E. Bolt, "Experimental Stress Analysis with Data Evaluation of Pipe Elbows with Specified Geometric Distortions," ONRL-TM-4834, Reactor Division, Oak Ridge National Laboratory, Oak Ridge, Tennessee (1978).
2. Battelle Laboratories, "Interim Report to Air Force Systems Command on Structural Analysis via Generalized Interactive Graphics (The STAGING System)," Columbus, Ohio (Aug 1978).
3. McKee, James M., "B-Spline Functions As a Solution to Some Knotty Geometric Modeling Problems," Proceedings of the Symposium on Computer Methods in Engineering, University of Southern California (Aug 1977).
4. McKee, J.M. and R.J. Kazden, "G-Prime B-Spline Manipulation Package--Basic Mathematical Subroutines," Report DTNSRDC 77-0036 (Apr 1977).
5. McKee, James, M., "Updates to the G-Prime B-Spline Manipulation Package--26 October 1977," periodic updates available from the author at the David W. Taylor Naval Ship Research and Development Center, Bethesda, Maryland 20084.

APPENDIX A

Listing of Deck to Create UPDATE Program Library, Compile Source Code, and Catalog Executable Code for Elbow Data Generator

```
(JOB CARD)
(CHARGE CARD)
REQUEST,NEWPL,*PF.
UPDATE,F,C,N.
CATALOG,NEWPL,PFNAME1, ID=XXXX.
REQUEST,LGO,*PF.
FTN,OPT=1,R=3,PL=5000000,I=CDMPILE.
CATALOG,LGO,PFNAME2, ID=XXXX.
7/8/9 EOR **** SOURCE DECK FOR DATA GENERATOR FOLLOWS ****
*DECK ELB
      PROGRAM PIPELB(INPUT,DOUTPUT,TAPES=INPUT,TAPE6=DOUTPUT,TAPE8,TAPE9,
      - TAPE10,TAPE11,TAPE12,TAPE13,TAPE14,TAPE15,TAPE16,TAPE17,TAPE18,
      - TAPE19,TAPE20,TAPE21,TAPE22,TAPE23,TAPE24,TAPE25,TAPE26,TAPE27)
C
C      DATA GENERATOR FOR NASTRAN STRESS ANALYSIS OF A PIPE HAVING
C          THETA DEGREE ELBOW AND STRAIGHT SECTIONS
C      INPUT GENERATION INCLUDES FINITE ELEMENT PLATING (CQUAD2,GRID),
C          CONGRUENCY (CNGRNT) AND PRESSURE LOADING (PLOAD2) FOR ELEMENTS,
C          AND GRID POINT CONSTRAINTS (SPC)
C
C      MEL MARCUS,DTNSRDC 1843,JAN 1979
C
C      DIMENSION IDUM(8),ICNGR(35,24)
C      INTEGER ASET(24)
C      COMMON/A/THETA,NPH1,DPH,RPIPS,PIDS,LOADID,PLOAD
C      COMMON/B/NX,NY,TABX(9),TABY(7),TABF(9,7,2)
C      INTEGER          EID,PIDS,PID,SID,G(4)
C      INTEGER CPC,CDC
C      DATA PI,/3.141592654/
C
C      1 FORMAT (1H1)
C      3 FORMAT (10F8.3)
C      4 FORMAT (24I3)
C      8 FORMAT (8A10)
C      9 FORMAT (BHCBAR    ,4I8,3F8.1,18)
C     10 FORMAT (BHCNGRNT   ,2I8)
C     11 FORMAT (BHCQUAD2   ,6I8)
C     12 FORMAT (BHPGRID    ,2I8,F8.4,F8.3,F8.4,2I8)
C     15 FORMAT (BHPLOAD2   ,18,F8.3,18)
C     16 FORMAT (BHPQUAD2   ,2I8,F8.3)
C     17 FORMAT (BHSPEC    ,3I8)
C     26 FORMAT (BHSET 1 = ,8(I6,2H, )/(BX, B(I6,2H, )))
C     27 FORMAT (8X,16)
C     28 FORMAT (BHFORCE   ,3I8,F8.4,3F8.0)
C
C
C      PRESENTED BELOW ARE THE 4 READ ITEMS WHICH OCCUR IN PIPELB
C      ALSO INDICATED ARE THE 4 READ ITEMS WHICH FOLLOW
C          IN 2 CALLS TO SUBROUTINE STRATE
C
C      PHI=PORTION OF PIPE CIRCUMFERENCE MODELED, DEGREES
C      THETA=PORTION OF ELBOW ARC MODELED,DEGREES
C
C      PHI=180.
C      READ (5,3) THETA
C      WRITE (6,3) THETA
C
C      NPHI=NUMBER OF ELEMENTS IN PHI DIRECTION
C      NTHETA=NUMBER OF ELEMENTS IN THETA DIRECTION (COORD SYSTEM CPC)
C
C      READ (5,4) NPHI,NTHETA
```

```

      WRITE (6,4) NPHI,NTHETA
C   RBEND=BEND RADIUS MEASURED TO PIPE CENTERLINE
C   RPIPS,PIDS=NOMINAL VALUES OF PIPE RADIUS ,THICKNESS (PROPERTY ID)
C
C   PIDS=200
READ (5,3) RBEND,RPIPS
WRITE (6,3) RBEND,RPIPS
C
C   THIS ITEM CONTAINS A SINGLE READ (BLANK CARD)
C   OR MULTIPLE (3+NF*NY) READS
C   DEPENDING ON WHETHER NF=0 (IDEAL ELBOW)
C   OR NF=2 (VARIABLE RADIUS AND THICKNESS)
C
C   NX,NY=NUMBERS OF PHI,THETA-DIRECTION VALUES (TABX,TABY)
C   AT WHICH TABULATED VALUES OF
C   RADIUS AND THICKNESS (NF=2) ARE SPECIFIED FOR ELBOW
C
C   IF NF=0, THEN NOMINAL VALUES OF OF PIPE RADIUS
C   AND THICKNESS ARE USED THROUGHOUT
C   OTHERWISE, VARIABLE RADIUS AND THICKNESS VALUES ARE COMPUTED
C   FOR THETA-DIR VALUES BETWEEN TABY(1) AND TABY(NY) DEGREES
C   WITH NOMINAL VALUES USED ELSEWHERE
C
READ (5,4) NX,NY,NF
WRITE (6,4) NX,NY,NF
IF (NF.EQ.0) GO TO 45
READ (5,3) (TABX(I),I=1,NX)
WRITE (6,3) (TABX(I),I=1,NX)
READ (5,3) (TABY(I),I=1,NY)
WRITE (6,3) (TABY(I),I=1,NY)
DO 40 K=1,NF
DO 40 J=1,NY
READ (5,3) (TABF(I,J,K),I=1,NX)
WRITE (6,3) (TABF(I,J,K),I=1,NX)
40 CONTINUE
45 CONTINUE
C
C   THE 2 ITEMS READ NEXT ARE TRIGGERED BY "CALL STRATE(1)"
C   THE ITEMS TO BE READ ARE DESCRIBED ATOP SUBROUTINE STRATE
C
C   THE LAST 2 ITEMS READ ARE TRIGGERED BY "CALL STRATE(2)"
C   THE ITEMS TO BE READ ARE DESCRIBED ATOP SUBROUTINE STRATE
C
C
CPC=1
CDC=1
MID=45
LOADID=21
PLOAD=-1.
C
DPH=PHI/NPHI
DTH=THETA/NTHETA
NPHI=NPHI+1
NTH1=NTHETA+1
IHTH=NTH1/2
C
C   END CAP LOAD DUE TO UNIT INTERNAL PRESSURE - 27
C
CAPLD=.5*NPHI*RPIPS*RPIPS*SIN(DPH *PI/180.)
WRITE (27,28) LOADID,200500,3,CAPLD,0.,0.,-1.
C

```

```

C
C      GENERATE FE PLATING FOR STRAIGHT SECTION (TOP)
C      CHECK SUBROUTINE STRATE FOR INPUT TO BE READ IN
C      CALL STRATE (1)
C
C      GENERATE FE PLATING FOR ELBOW
C
C      TH=0.
C      IBASE=500000
C
C      DO 200 I=1,NTH1
C      PID=PIDS
C      RPIPE=RPIPS
C      ITH=TH+.5
C      INEXT=TH+DTH+.5
C      IMOVE=1000*(INEXT-ITH)
C      PH=0.
C      ID=IBASE
C
C      DEFINE MYTHICAL CENTER POINTS ALONG ELBOW
C
C      NBARS=0
C      IDCEN=ID+500
C
C      DO 150 J=1,NPH1
C
C      SPOKES (CBAR - 9) CONVERGE TO MYTHICAL CENTERS AT ELBOW ENDS
C
C      IF (I.NE.1.AND.I.NE.NTH1) GO TO 50
C      NBARS=NBARS+1
C     >IDBAR=IDCEN+NBARS
C      IF (J.EQ.1.OR.J.EQ.NPH1) GO TO 52
C      WRITE (9,9)IDBAR,PIDS+2,ID, IDCEN,0.,1.,0.,1
C      GO TO 50
C      52 WRITE (9,9)IDBAR,PIDS+1, ID, IDCEN,0.,1.,0.,1
C      50 CONTINUE
C
C      IPH=PH+.5
C      INEXT=PH+DPH+.5
C      JMOVE=INEXT-IPH
C
C      POSSIBLY INTERPOLATE FOR PIPE RADIUS
C
C      IF (NF.EQ.0) GO TO 60
C      IF (TH.GT.TABY(NY)) GO TO 62
C      CALL FIND (PH,TH,1,THICK)
C      CALL FIND (PH,TH,2,OD)
C      RPIPE=.5*(OD-THICK)
C      IREG=NTH1
C      GO TO 64
C      60 IREG=1
C      GO TO 64
C      62 IREG=I
C      64 IREG1=IREG+1
C
C      GRID FOR ELBOW - 13
C

```

```

C      ELBOW MODELED IN CYLINDRICAL R,T,Z COORD SYSTEM CPC
C      IN WHICH T IS PORTION OF THETA
C
C      ANG=PH+PI/180.
C      R=RBEND-RPIPE*COS(ANG)
C      Z=RPIPE*SIN(ANG)
C      WRITE (13,12) ID,CPC,R,TH,Z,CDC
C      IF (J.EQ. NPH1) GO TO 20
C      IF (I.EQ. NTH1) GO TO 115
C
C      ICEN=TH+.5*DTH+.5
C      JCEN=PH+.5*DPH+.5
C      EID=1000*ICEN+JCEN+500000
C      IF (I.EQ.IHTH) ASET(J)=EID
C
C      ASSIGNING CONGRUENCY
C
C      ICNGR(I,J)=EID
C
C      POSSIBLY INTERPOLATE FOR PIPE THICKNESS
C      IF SO , GENERATE PROPERTY CARD - 18
C
C      IF (NY.EQ.0) GO TO 80
C      IF (IH.GT.TABY(NY)) GO TO 80
C      PID=EID
C      PC=PH+.5*DPH
C      TC=TH+.5*DTH
C      CALL FIND (PC,TC,1,THICK)
C      WRITE (16,16) PID,MID,THICK
80 CONTINUE
C
C      CQUAD2 FOR ELBOW - 11
C
C      G(1)=ID
C      G(2)=G(1)+IMOVE
C      G(3)=G(2)+JMOVE
C      G(4)=G(3)-IMOVE
C      WRITE (11,11) EID,PID,(G(L),L=1,4)
C
C      PLOAD2 FOR QUADS - 15
C
C      WRITE (15,15) LOADID,PLOAD,EID
115 IF (J.NE.1) GO TO 100
C
C      SPC FOR ELBOW - 18,21
C          SYM B.C. AT PHI=0,180 - 18
C          ANTI- SYM B.C. AT PHI=0,180 - 21
C
20 SID=71
L=345
WRITE (18,17) SID,ID,L
SID=72
L=126
WRITE (21,17) SID,ID,L
C
100 ID=ID+JMOVE
PH=PH+DPH
C
C      150 CONTINUE
C
C      IBASE=IBASE+IMOVE

```

```

TH = TH +DTH
200 CONTINUE
C
C      CNGRNT (THETA DIRECTION ONLY) FOR ELBOW - 10
C
C      IF (IREG .GE. NTHETA) GO TO 210
DO 205 J=1,NPHI
DO 205 I=IREG1,NTHETA
205 WRITE (10,10) ICNGR(IREG,J),ICNGR(I,J)
210 CONTINUE
C
C      SOLUTION SET FOR CASE CONTROL - 26
C
C      WRITE (26,26) (ASET(J),J=1,NPHI)
WRITE (26,27) 999999
C
C      GENERATE FE PLATING FOR STRAIGHT SECTION (BOTTOM)
C      CHECK SUBROUTINE STRATE FOR INPUT TO BE READ IN
CALL STRATE (2)
C
C
C      WRITE (6,1)
DO 1000 I=9,27
REWIND I
910 READ (I,8) (IDUM(K),K=1,8)
IF (EOF(I).NE.0) GO TO 920
WRITE(8,8) (IDUM(K),K=1,8)
GO TO 910
920 REWIND I
1000 CONTINUE
REWIND 8
C
C      STOP
END
SUBROUTINE STRATE (IFLAG)
C
C      GENERATE FE PLATING FOR STRAIGHT SECTION
C      IFLAG=1,2 INDICATES PORTION ABOVE,BELOW ELBOW
C
DIMENSION ZS(25),IZDZCH(6),KOUNT( 5 ),IJCNGR(5,500)
COMMON/A/THETA,NPH1,DPH,RPIPS,PIDS,LOADID,PLOAD
INTEGER CPS,CDS,EID,PIDS,PID,SID,G(4)
C
2 FORMAT (I8.9F8.2/(10F8.2))
4 FORMAT (24I3)
10 FORMAT (8HCNGRNT ,2I8)
11 FORMAT (8HCQUAD2 ,6I8)
12 FORMAT (8HGRID ,2I8,F8.4,F8.3,F8.4,2I8)
15 FORMAT (8HUPLOAD2 ,I8,F8.3,I8)
17 FORMAT (8HSPC ,3I8)
25 FORMAT (8HCGRID1 ,3I8)
C
C      STRAIGHT SECTION MODELED IN CYLINDRICAL R,T,Z COORD SYSTEM CPS
C      IN WHICH Z IS DISTANCE ALONG STRAIGHT EDGE
C      ( Z=0 AT POINTS OF CURVATURE/TANGENCY )
C
C

```

```

C      NZS1=NUMBER OF GRID POINTS IN Z DIRECTION
C      ZS(I)=Z-COORDS OF THE NZS1 PTS IN COORD SYSTEM CPS
C
C      FOR IFLAG=1, VALUES BEGIN AT Z=-L1 AND END AT Z=0
C      FOR IFLAG=2, VALUES BEGIN AT Z=0 AND END AT Z=L2
C          WHERE L1,L2 ARE PIPE LENGTHS ABOVE,BELOW ELBOW
C
C      READ (5,2) NZS1,(ZS(I),I=1,NZS1)
C      WRITE (6,2) NZS1,(ZS(I),I=1,NZS1)
C
C      NDZCHS=NUMBER OF CHANGES IN DZ=ZS(I+1)-ZS(I)
C      IZDZCH(K)=VALUES OF I , I=1 TO NZS1, AT WHICH DZ CHANGES
C          (CONVENTION IS TO SPECIFY I=1 AS A CHANGE)
C
C      READ (5,4) NDZCHS,(IZDZCH(K),K=1,NDZCHS)
C      WRITE (6,4) NDZCHS,(IZDZCH(K),K=1,NDZCHS)
C
C
C      SET UP CONGRUENCY SETS
C
C      IBOOM=0
C      NSETS= NDZCHS
C      DO 650 I=1,NSETS
C      650 KOUNT(I)=0
C
C      IF (IFLAG.EQ.2) GO TO 20
C      CPS=3
C      CDS=3
C      NTPGRD=12
C      NTPSYM=17
C      NTPAS=20
C      ILIM=NZS1-1
C      IBASE=(500-10*ILIM)*1000
C      IRIGID=IBASE
C      GO TO 30
C      20 CPS=2
C      CDS=2
C      NTPGRD=14
C      NTPSYM=19
C      NTPAS=22
C      ILIM=NZS1
C      IBASE=(500+THETA)*1000
C      30 RPIPE=RPIPS
C      PID=PIIDS
C
C      DO 400 I=1,ILIM
C      IMOVE=10000
C      PH=0.
C      ID=IBASE
C
C      DO 350 J=1,NPH1
C      IPH=PH+.5
C      INEXT=PH+DPH+.5
C      JMOVE=INEXT-IPH
C
C      RIGID ELEMENTS AT FREE END - 25
C
C      IF (I.NE.1.OR.IFLAG.NE.1) GO TO 27
C      WRITE (25,25) J+1,200500,IRIGID

```

```

IRIGID=IRIGID+JMOVE
27 CONTINUE
C
C
C     GRID FOR STRAIGHT SECTION - NTPGRD
C
IF (IFLAG.EQ.2.AND.I.EQ.1) GO TO 202
NT=NTPGRD
WRITE (NT,12) ID,CPS,RPIPE,PH,?S(I),CDS
202 IF (J.EQ. NPH1) GO TO 220
IF (IFLAG.EQ.2.AND.I.EQ.ILIM) GO TO 215
C
EID=ID
IF (IFLAG.EQ.1.AND.I.EQ.ILIM) GO TO 204
IF (IFLAG.EQ.2.AND.I.EQ.1) GO TO 204
C
C     TESTING FOR AND ASSIGNING CONGRUENCY
C
IBOOM=IBOOM+1
IZDZCH(NDZCHS+1)=NZS1
DO 700 K=1,NDZCHS
NSET=0
IZ1=IZDZCH(K )-1
IZ2=IZDZCH(K+1)-1
IF (I.GT.IZ1.AND.I.LE.IZ2) NSET=K
IF (NSET.EQ.0) GO TO 700
IF (IBOOM.EQ.1) NSET1=NSET
NSETS=NSET
KOUNT(NSET)=KOUNT(NSET)+1
KNT=KOUNT(NSET)
IJLNGR(NSET,KNT) =EID
700 CONTINUE
C
C     CQUAD2 FOR STRAIGHT SECTION - 11
C
204 G(1)=ID
G(2)=G(1)+IMOVE
G(3)=G(2)+JMOVE
G(4)=G(3)-IMOVE
WRITE (11,11) EID,PID,(G(L),L=1,4)
C
C     PLOAD2 FOR QUADS - 15
C
WRITE (15,15) LOADID,PLOAD,EID
IF (IFLAG.EQ.1.AND.I.EQ.1) GO TO 300
215 IF (J.EQ.1) GO TO 220
IF (IFLAG.EQ.2.AND.I.EQ.ILIM) GO TO 225
GO TO 300
C
C     SPC FOR STRAIGHT SECTION - NTPSYM,NTPAS,23,24
C     SYM B.C. AT PHI=0,180 - NTPSYM
C     ANTI- SYM B.C. AT PHI=0,180 - NTPAS
C     ELIM ZERO DOF AT PHI=0,180 - 23
C     CONSTRAIN FIXED END - 24
C
220 IF (I.EQ.1) GO TO 300
SID=71
L=246
NT=NTPSYM
WRITE (NT,17) SID,ID,L
SID=72
L=135
NT=NTPAS

```

```

        WRITE (17) SID, ID, L
        SID=80
        L=4
        WRITE (17) SID, ID, L
        IF (IFLAG.EQ.2.AND.I.EQ.ILIM) GO TO 225
        GO TO 300
225 SID=85
        L=123456
        WRITE (17) SID, ID, L
C
300 ID=ID+JMOVE
        PH=PH+DPH
C
C
350 CONTINUE
        IBASE=IBASE+IMOVE
C
C
400 CONTINUE
C
C
C     CNGRNT (BOTH DIRECTIONS) FOR STRAIGHT SECTION - 10
C
        DO 405 K=NSET1,NSETS
        KNT=KOUNT(K)
        DO 405 L=2,KNT
        405 WRITE (10,10) IJCNGR(K,1),IJCNGR(K,L)
C
C
        RETURN
        END
        SUBROUTINE FIND (X,Y,K,FXY)
C
C     INTERPOLATE FOR FUNCTIONAL VALUES WHICH ARE
C     TABULATED FOR BOTH X AND Y TABULATED VALUES
C
C     K INDICATES FUNCTION BEING CONSIDERED
C
        DIMENSION FX(7)
        COMMON/B/NX,NY,TABX(9),TABY(7),TABF(9,7,2)
C
        DO 10 J=2,NY
        IF (TABY(J).GT.Y) GO TO 15
10 CONTINUE
        J2=NY
        GO TO 20
15 J2=J
20 J1=J2-1
C
        DO 30 I=2,NX
        IF (TABX(I).GT.X) GO TO 35
30 CONTINUE
        I2=NX
        GO TO 40
35 I2=I
40 I1=I2-1
C
        XRAT=(X-TABX(I1))/(TABX(I2)-TABX(I1))
        DO 50 J=J1,J2
50 FX(J)=TABF(I1,J,K)+XRAT*(TABF(I2,J,K)-TABF(I1,J,K))
C
        YRAT=(Y-TABY(J1))/(TABY(J2)-TABY(J1))
        FXY=FX(J1)+YRAT*(FX(J2)-FX(J1))
C
        RETURN
        END
6/7/8/9 EOF

```

APPENDIX B
Listing of Deck to Execute Elbow Data Generator
and Create NASTRAN Input Data File for Mesh A

```
(JOB CARD)
(CHARGE CARD)
ATTACH,PIPELB,PFNAME2,ID=XXXX.
PIPELB.
REQUEST,NEWPL,+PF.
UPDATE,F,C,N,D.
CATALOG,NEWPL,PFNAME3,ID=XXXX.
COPYSBF,COMPILE.
7/8/9 EOR **** INPUT DATA (MESH A) FOR DATA GENERATOR FOLLOWS ****
90.
 12 17
15.0   5.163
(BLANK CARD)
 12 -21.   -18.5   -16.5   -14.5   -12.5   -10.5   -8.5   -6.5   -4.5
-2.5    -1.     0.
 4 1 2 10 11
 12 0.     1.     2.5     4.5     6.5     8.5     10.5    12.5    14.5
16.5   18.5   20.5
 3 1 2 3
7/8/9 EOR **** INPUT DECK TO UPDATE FOLLOWS ****
*DECK DATA
NASTRAN CONFIG=6,FILES=(PLT2,NPTP,OPTP,INPT)
ID PIPE,ELBOW
APP DISP
SOL 1,0
TIME 25
$SEQUENCE YES
$GRID=525
$CONFIG=6
CEND
TITLE =STRESS ANALYSIS OF ELBOW ME-1 (ORNL-TM-4834)
MAXLINES=500000
*READ TAPE26
DISP=ALL
STRESS(PRINT,PUNCH)=1
SPCFORCE=ALL
$
$      SUBCASES HAVING SAME B.C. ARE GROUPED TOGETHER
$      TO AVOID UNNECESSARY MATRIX DECOMPOSITIONS
$
SUBCASE 1
  SUBTITLE=UNIT PRESSURE LOAD
  LABEL=SYM B.C.
  LOAD=21
  SPC=91
  OLOAD=ALL
  STRESS=1
SUBCASE 2
  SUBTITLE=UNIT IN-PLANE (Z) MOMENT
  LABEL=SYM B.C.
  LOAD=22
  SPC=91
  OLOAD=ALL
  STRESS=1
SUBCASE 3
  SUBTITLE=UNIT OUT-OF-PLANE (X) MOMENT
  LABEL=ANTI-SYM B.C.
  LOAD=23
  SPC=92
  OLOAD=ALL
  STRESS=1
SUBCASE 4
  SUBTITLE=UNIT TORSIONAL (Y) MOMENT
```

```

LABEL=ANTI-SYM S.C.
LOAD=24
SPC=92
OLOAD=ALL
STRESS=1
SUBCOM 21
SUBTITLE=PRESSURE LOAD OF 75.53 PSI
SUBSEQ=75.53,0.,0.,0.
SUBCOM 22
SUBTITLE=IN-PLANE MOMENT OF 32660 IN-LB
SUBSEQ=0.,-32660.,0.,0.
SUBCOM 23
SUBTITLE=OUT-OF-PLANE MOMENT OF 32660 IN-LB
SUBSEQ=0.,0.,32660.,0.
SUBCOM 24
SUBTITLE= TORSIONAL MOMENT OF 32660 IN-LB
SUBSEQ=0.,0.,0.,32660.

$  

$  

$      STRUCTURE     ...PIPE (RPIPE=5.163) CONSISTS OF  

$                  90 DEGREE ELBOW (RBEND=15.0)  

$                  ADJOINED BY STRAIGHT SECTIONS  

$  

$      SYMMETRY      ...IMPOSED AT PIPE HALF-CIRCUM (PHI=0,180)  

$  

$      COORD SYSTEMS...(ELBOW) R=RBEND-RPIPE*COS(PHI)  

$                  T=THETA, (THETA=0,90 AT P.C.,P.T.)  

$                  Z=RPIPE*SIN(PHI)  

$  

$      COORD SYSTEMS...(STRAIGHT SEC) R=RPIPE  

$                  T=PHI  

$                  (TOP) Z=DISTANCE FROM P.C.  

$                  (BOTTOM) Z=DISTANCE FROM P.T.  

$  

$      NODAL VALUES ... (ELBOW)      ID=1000*(500+ITH)+IPH  

$      WHERE ITH ARE ROUNDED NODAL VALUES OF THETA  

$      IPH ARE ROUNDED NODAL VALUES OF PHI  

$  

$      (STRAIGHT SEC)  

$          (TOP) ID=1000*(500-10*(J-I))+IPH  

$          I=0,1,2,...,J-1  

$          (BOTCM) ID=1000*(590+10*I)+IPH  

$          I=1,2,...,K  

$      WHERE J IS NO. OF Z-INTERVALS SUBDIVIDING TOP SEC  

$      K IS NO. OF Z-INTERVALS SUBDIVIDING BOT SEC  

$  

$  

$  

$      BEGIN BULK  

$  

$          SPOKES AT ELBOW ENDS CONVERGE TO MYTHICAL CENTER POINTS  

$  

*READ TAPE9
$  

$          ELEMENT CONGRUENCY...(ELBOW)      THETA DIRECTION ONLY  

$          (STRAIGHT SEC) BOTH DIRECTIONS  

$  

*READ TAPE10
$  

$          ELBOW DEFINED IN COORD SYSTEM 1  

$          STRAIGHT BOTTOM DEFINED IN COORD SYSTEM 2  

$          STRAIGHT TOP    DEFINED IN COORD SYSTEM 3  

$          ORNL CARTESIAN SYSTEM IS NO. 4

```

```

$ CORD2C 1 0 0. 0. 0. 0. 0. 1. +COR1
$ +COR1 1. 0. 0. 0. 0. -1. 15. 0. +COR2
$ CORD2C 2 0 0. 15. 0. 0. 15. 1. 0. +COR3
$ +COR2 0. 14. 0. 0. 0. 0. 0. -1. +COR4
$ CORD2C 3 0 0. 15. 0. 0. 15. 1. 0. +COR3
$ +COR3 14. 0. 0. 0. 0. 0. 0. -1. +COR4
$ CORD2R 4 0 0. 0. 0. 0. 0. 0. +COR4
$ +COR4 1. 0. 0. 0. 0. 0. 0. -1. +COR1

$ FINITE ELEMENT PLATING
$ *READ TAPE11
$ RIGID CONNECTION FOR FREE (LOADED) END OF PIPE
$ CRIGD1 1 200500 100500
$ *READ TAPE25
$ END CAP LOAD DUE TO UNIT INTERNAL PRESSURE
$ *READ TAPE27
$ GRID POINTS
$ MYTHICAL CENTER POINT 1 UNIT BEYOND FREE END OF PIPE
$ GRID 100500 0 15.0 -22.0 0. 4
$ MYTHICAL CENTER POINT AT FREE END OF PIPE
$ GRID 200500 0 15.0 -21.0 0. 4
$ STRAIGHT SECTION ABOVE THETA=0
$ *READ TAPE12
$ MYTHICAL CENTER POINT AT THETA=0 END OF ELBOW
$ (EQUIV TO ORIGIN OF COORD SYS 3)
$ GRID 500500 0 15.0 0. 0. 4
$ ELBOW POINTS
$ *READ TAPE13
$ MYTHICAL CENTER POINT AT THETA=90 END OF ELBOW
$ (EQUIV TO ORIGIN OF COORD SYS 2)
$ GRID 590500 0 0. 15. 0. 4
$ STRAIGHT SECTION BELOW THETA=90
$ *READ TAPE14
$ MAT1 45 2.9+7 0.3 7.324-4 STEEL
$ BENDING MOMENTS APPLIED AT FREE END
$ MOMENT 22 200500 0 0.50 0. 0. 1.
$ MOMENT 23 200500 0 0.50 1. 0. 0.
$ MOMENT 24 200500 0 0.50 0. 1. 0.
$ PBAR 201 45 1.0-8 1.0-8 1.0-8 2.0-9

```

```
PBAR    202    45    2.0-6   2.0-9   2.0-9   4.0-9
$  
$      INTERNAL PRESSURE LOADING FOR PIPE  
$  
*READ TAPE15  
$  
PQUAD2  200    45    0.390  
$  
$      SPC...(SID=71)      SYM B.C. AT MIDPLANE CUTTING PIPE CIRCUM  
$  
SPC    71    200500  345  
*READ TAPE17  
SPC    71    500500  345  
*READ TAPE18  
SPC    71    590500  345  
*READ TAPE19  
$  
$      (SID=72)  ANTI-SYM B.C. AT MIDPLANE CUTTING PIPE CIRCUM  
$  
SPC    72    200500  126  
*READ TAPE20  
SPC    72    500500  126  
*READ TAPE21  
SPC    72    590500  126  
*READ TAPE22  
$  
$      ELIMINATION OF ZERO STIFFNESS DOF  
$  
*READ TAPE23  
$  
$      CONSTRAIN FIXED END  
$  
*READ TAPE24  
$  
SPCADD 91    71    80    85  
SPCADD 92    72    80    85  
ENDDATA  
6/7/8/9 EOF
```

APPENDIX C

Listing of Deck to Execute NASTRAN and Save Stresses at Middle of Elbow

```
(JOB CARD)
(CHARGE CARD)
LIMIT,13000.
MAP,OFF,
ATTACH,OLDPL,PFNAME3,1D=XXXX.
UPDATE,F,C=DATA,N,D.
ATTACH,NASTRAN.
REQUEST,PUN,*PF.
RFL,160000.
BEGIN,NASTRAN,NASTRAN,,DATA,,PUN.
CATALOG,PUN,PFNAME4,1D=XXXX.
7/8/9 EOR **** UPDATE CORRECTIONS (IF ANY) FOLLOW ****
6/7/8/9 EOF
```

APPENDIX D
Listing of Deck to Smooth Principal Stresses and
Create Solution File in PLOT QUICK Format

```
(JOB CARD)
(CHARGE CARD)
ATTACH,TAPE9,PFNAME4,ID=XXXX.
REQUEST,TAPE10,*PF.
ATTACH,PROD,461PRODUCTS,ID=CSYS.
ATTACH,BSPLNLB,1D=CAMK.
LIBRARY,PROD,BSPLNLB.
LOADLDR.
FTN.
LOADLDR.
LGO.
CATALOG,TAPE10,PFNAME5,ID=XXXX.
7/8/9 EOR **** SOURCE DECK FOLLOWS ****
      PROGRAM PREPLT(INPUT,OUTPUT,TAPE5=INPUT,TAPE6=OUTPUT,TAPE9,TAPE10)
C
C
C
C      THIS PROGRAM READS (TAPE9) NASTRAN-GENERATED ELBOW STRESS OUTPUT,
C      SELECTS FROM IT A SOLUTION SUBSET,
C      SMOOTH THIS SOLUTION SET,
C      AND THEN SCALES + SAVES THE ORIGINAL AND SMOOTHED SOLUTION SETS,
C      EACH IN A PLOTQUICK (INTERACTIVE PLOTTING) FORMAT ON TAPE10
C
C
C      CARD INPUT CONSISTS OF NPTS,THE NO. OF ELMTS IN CIRCUMFER DIREC,
C      FOLLOWED BY A SHORT AND LONG NAME, TITS AND TITL, RESPECTIVELY,
C      FOR EACH OF THE 34 CURVES WHICH GIVE,
C      IN AN ALTERNATING (UNSMOOTHED AND SMOOTHED) PATTERN,
C      THE CIRCUMFERENTIAL COORDINATES, FOLLOWED BY A CONSECUTIVE STRING
C      OF MAJOR-OUTER,MINOR-OUTER,MAJOR-INNER,MINOR-INNER STRESS VALUES
C      FOR EACH OF THE 4 DIFFERENT LOADING CONDITIONS
C
C      MEL MARCUS, DTNSRDC 1843, FEB 1979
C
C
C      DIMENSION Z(19),TITS(1),TITL(8)
C      DIMENSION GPVAL(16),X(18),    NSEEK(4),C1(2,18),C2(2,103),Y(4,4,18)
C      COMMON WORK(3000)
C
1  FORMAT(1H1)
2  FORMAT(13F6.2)
3  FORMAT(12G11.4)
4  FORMAT(8A10)
5  FORMAT(1X,8A10)
7  FORMAT(26I3)
8  FORMAT(I10,8X,3E18.6/(18X,3E18.6,8X))
9  FORMAT(2I3,E16.8)
C
NLOADS=4
NSKIP=7
NVALUS=16
NS=4
NSEEK(1)=6
NSEEK(2)=7
NSEEK(3)=14
NSEEK(4)=15
C
READ (5,9) NPTS
WRITE (6,9) NPTS
DANG=180./NPTS
N1=6*(NPTS-1)+1
C
```

```

C
C      WRITE (6,1)
DO 20 K=1,NLOADS
      WRITE (6,9) K
C
      DO 10 I=1,NSKIP
10 READ (9,4) TITS(1)
C
      DO 20 I=1,NPTS
      READ (9,8) ID,(GPVAL(M),M=1,NVALUS)
      WRITE (6,8) ID,(GPVAL(M),M=1,NVALUS)
      X(I)=(I-.5)*DANG
C
      DO 20 J=1,NS
      N=NSEEK(J)
20 Y(K,J,I)=GPVAL(N)
C
C
C      SCFAC=.001
C
      WRITE (6,1)
      KOUNT=0
      DO 100 K=1,NLOADS
      DO 100 J=1,NS
C
      DO 30 I=1,NPTS
      C1(1,I)=X(I)
30 C1(2,I)=Y(K,J,I)
C
      CALL CRVFIT(C1,2,NPTS,1,1.0,3,0,1,E-6,N1,0,WORK,3000,C2,RMS,IFAIL)
C
      IF (K.NE.1.OR.J.NE.1) GO TO 40
      KOUNT=KOUNT+1
      WRITE (6,7) KOUNT
      READ (5,4) TITS(1)
      WRITE (6,5) TITS(1)
      WRITE (10) TITS(1)
      READ (5,4) (TITL(I),I=1,8)
      WRITE (6,5) (TITL(I),I=1,8)
      WRITE (10) (TITL(I),I=1,8)
      WRITE (6,3) (C1(1,I),I=1,NPTS)
      WRITE (10) (C1(1,I),I=1,NPTS)
      KOUNT=KOUNT+1
      WRITE (6,7) KOUNT
      READ (5,4) TITS(1)
      WRITE (6,5) TITS(1)
      WRITE (10) TITS(1)
      READ (5,4) (TITL(I),I=1,8)
      WRITE (6,5) (TITL(I),I=1,8)
      WRITE (10) (TITL(I),I=1,8)
      WRITE (6,3) (C2(1,I),I=1,N1)
      WRITE (10) (C2(1,I),I=1,N1)
40 CONTINUE
C
      KOUNT=KOUNT+1
      WRITE (6,7) KOUNT
      READ (5,4) TITS(1)
      WRITE (6,5) TITS(1)
      WRITE (10) TITS(1)
      READ (5,4) (TITL(I),I=1,8)
      WRITE (6,5) (TITL(I),I=1,8)

```

```

      WRITE (10) (TITL(I),I=1,8)
      WRITE (6,3) (C1(2,I)*SCFAC,I=1,NPTS)
      WRITE (10) (C1(2,I)*SCFAC,I=1,NPTS)
      KOUNT=KOUNT+1
      WRITE (6,9) KOUNT,IFAIL,RMS
      READ (5,4) TITS(1)
      WRITE (6,5) TITS(1)
      WRITE (10) TITS(1)
      READ (5,4) (TITL(I),I=1,8)
      WRITE (6,5) (TITL(I),I=1,8)
      WRITE (10) (TITL(I),I=1,8)
      WRITE (6,3) (C2(2,I)*SCFAC,I=1,N1)
      WRITE (10) (C2(2,I)*SCFAC,I=1,N1)

C      100 CONTINUE
C
C
C      END
7/8/9 EOR    +*** INPUT DATA (MESH A) FOLLOWS *****
12
PHI-U
PIPE CIRCUMFERENCE (DEGREES)
PHI
PIPE CIRCUMFERENCE (DEGREES)
PRES-UOMJR
NASTRAN MAJOR STRESS AT OUTER STATION 7 DUE TO PRESSURE LOAD
PRES-NOMJR
NASTRAN MAJOR STRESS AT OUTER STATION 7 DUE TO PRESSURE LOAD
***** SHORT AND LONG NAMES FOR 30 MORE CURVES FOLLOW *****
6/7/8/9 EOF

```

APPENDIX E

Listing of NASTRAN Input Data File
for Mesh A

```

NASTRAN CONFIG=6, FILES=(PLT2.NPTP,OPTP,INPT)
ID PIPE,ELBOW
APP DISP
SOL 1,0
TIME 25
$SEQUENCE YES
$GRID=525
$CONFIG=6
CEND
TITLE =STRESS ANALYSIS OF ELBOW ME-1 (ORNL-TM-4834)
MAXLINES=50000
SET 1 * 545008, 545023, 545038, 545053, 545068, 545083, 545098, 545113,
      54513, 545143, 545158, 545173,
      999999
DISP=ALL
STRESSPRINT,PUNCH)=1
SPCFORCE=ALL
$      SUBCASES HAVING SAME B.C. ARE GROUPED TOGETHER
$      TO AVOID UNNECESSARY MATRIX DECOMPOSITIONS
$SUBCASE 1
SUBTITLE=UNIT PRESSURE LOAD
LABEL=SYM B.C.
LOAD=21
SPC=91
OLOAD=ALL
STRESS=1
$SUBCASE 2
SUBTITLE=INIT IN-PLANE (Z) MOMENT
LABEL=SYM B.C.
LOAD=22
SPC=91
OLOAD=ALL
STRESS=1
$SUBCASE 3
SUBTITLE=UNIT OUT-OF-PLANE (X) MOMENT
LABEL=ANTI-SYM B.C.
LOAD=23
SPC=92
OLOAD=ALL
STRESS=1
$SUBCASE 4
SUBTITLE=UNIT TORSIONAL (Y) MOMENT
LABEL=ANTI-SYM B.C.
LOAD=24
SPC=92
OLOAD=ALL
STRESS=1
$SUBCOM 21
SUBTITLE=PRESSURE LOAD OF 75.53 PSI
SUBSEQ=75.53,0,0,0,0
$SUBCOM 22

```

```

SUBTITLE=IN-PLANE MOMENT OF 32660 IN-LB
SUBSEQ=0...-32660 .0 .0 .
SUBCON 23
SUBTITLE=OUT-OF-PLANE MOMENT OF 32660 IN-LB
SUBSEQ=0 .0 .32660 .0 .
SUBCON 24
SUBTITLE=TORSIONAL MOMENT OF 32660 IN-LB
SUBSEQ=0 .0 .0 .32660 .

$      STRUCTURE    ...PIPE (RPIPE=5.163) CONSISTS OF
$          90 DEGREE ELBOW (RBEND=15.0)
$          ADJOINED BY STRAIGHT SECTIONS
$      SYMMETRY     ...IMPOSED AT PIPE HALF-CIRCUM (PHI=0,180)
$      COORD SYSTEMS... (ELBOW) R=RBEND-RPIPE+COS(PHI)
$                      T=THETA, (THETA=0,90 AT P.C.,P.T.)
$                      Z=RPIPE*SIN(PHI)

$      COORD SYSTEMS... (STRAIGHT SEC) R=RPIPE
$                      T=PHI
$                      (TOP) Z=DISTANCE FROM P.C.
$                      (BOTTOM) Z=DISTANCE FROM P.T.

$      NODAL VALUES ... (ELBOW) ID=1000*(500+ITH)+IPH
$                      WHERE ITH ARE ROUNDED NODAL VALUES OF THETA
$                      IPH ARE ROUNDED NODAL VALUES OF PHI
$      (STRAIGHT SEC) (TOP) ID=1000*(500-10*(J-I))+IPH
$                      I=0,1,2,...,J-1
$      (BOTTOM) ID=1000*(590+10*I)+IPH
$                      I=1,2,...,K
$                      WHERE J IS NO. OF Z-INTERVALS SUBDIVIDING TOP SEC
$                      K IS NO. OF Z-INTERVALS SUBDIVIDING BOT SEC

$      BEGIN BULK
$      SPOKES AT ELBOW ENDS CONVERGE TO MYTHICAL CENTER POINTS

$      CBAR 500501 201 500000 500500 0.0 1.0 0.0 1
$      CBAR 500502 202 500015 500500 0.0 1.0 0.0 1
$      CBAR 500503 202 500030 500500 0.0 1.0 0.0 1
$      CBAR 500504 202 500045 500500 0.0 1.0 0.0 1
$      CBAR 500505 202 500060 500500 0.0 1.0 0.0 1
$      CBAR 500506 202 500075 500500 0.0 1.0 0.0 1
$      CBAR 500507 202 500090 500500 0.0 1.0 0.0 1
$      CBAR 500508 202 500105 500500 0.0 1.0 0.0 1
$      CBAR 500509 202 500120 500500 0.0 1.0 0.0 1
$      CBAR 500510 202 500135 500500 0.0 1.0 0.0 1
$      CBAR 500511 202 500150 500500 0.0 1.0 0.0 1

```

		ELEMENT CONGRUENCY... (ELBCW)		THETA DIRECTION ONLY	
		(STRAIGHT SEC) BOTH DIRECTIONS			
\$	CNGRNT	390000	390015		
\$	CNGRNT	390000	390030		
\$	CNGRNT	390000	390045		
\$	CNGRNT	390000	390050		
\$	CNGRNT	390000	390075		
\$	CNGRNT	390000	390090		
\$	CNGRNT	390000	390105		
\$	CNGRNT	390000	390120		
\$	CNGRNT	390000	390135		
\$	CNGRNT	390000	390150		
\$	CNGRNT	390000	390165		
\$	CNGRNT	400000	400015		
\$	CNGRNT	400000	400030		
\$	CNGRNT	400000	400045		
\$	CNGRNT	400000	400060		
\$	CNGRNT	400000	400075		
\$	CNGRNT	400000	400090		
\$	CNGRNT	400000	400105		
\$	CNGRNT	400000	400120		
\$	CNGRNT	400000	400135		
\$	CNGRNT	400000	400150		
\$	CNGRNT	400000	400165		
\$	CNGRNT	400000	410000		
\$	CNGRNT	400000	410015		
\$	CNGRNT	400000	410030		
\$	CNGRNT	400000	410045		
\$	CNGRNT	400000	410060		
\$	CNGRNT	400000	410075		
\$	CNGRNT	400000	410090		
\$	CNGRNT	400000	4101C5		
\$	CNGRNT	400000	410120		
\$	CNGRNT	400000	410135		
\$	CNGRNT	400000	410150		
\$	CNGRNT	400000	410165		
\$	CNGRNT	400000	420000		

CNGRNT	400000	420015	DATA 163
CNGRNT	400000	420030	DATA 164
CNGRNT	400000	420045	DATA 165
CNGRNT	400000	420060	DATA 166
CNGRNT	400000	420075	DATA 167
CNGRNT	400000	420090	DATA 168
CNGRNT	400000	420105	DATA 169
CNGRNT	400000	420120	DATA 170
CNGRNT	400000	420135	DATA 171
CNGRNT	400000	420150	DATA 172
CNGRNT	400000	420165	DATA 173
CNGRNT	400000	430000	DATA 174
CNGRNT	400000	430015	DATA 175
CNGRNT	400000	430030	DATA 176
CNGRNT	400000	430045	DATA 177
CNGRNT	400000	430060	DATA 178
CNGRNT	400000	430075	DATA 179
CNGRNT	400000	430090	DATA 180
CNGRNT	400000	430105	DATA 181
CNGRNT	400000	430120	DATA 182
CNGRNT	400000	430135	DATA 183
CNGRNT	400000	430150	DATA 184
CNGRNT	400000	430165	DATA 185
CNGRNT	400000	440000	DATA 186
CNGRNT	400000	440015	DATA 187
CNGRNT	400000	440030	DATA 188
CNGRNT	400000	440045	DATA 189
CNGRNT	400000	440165	DATA 190
CNGRNT	400000	440005	DATA 191
CNGRNT	400000	440020	DATA 192
CNGRNT	400000	440035	DATA 193
CNGRNT	400000	440050	DATA 194
CNGRNT	400000	440065	DATA 195
CNGRNT	400000	440080	DATA 196
CNGRNT	400000	440105	DATA 197
CNGRNT	400000	440120	DATA 198
CNGRNT	400000	440135	DATA 199
CNGRNT	400000	440150	DATA 200
CNGRNT	400000	450005	DATA 201
CNGRNT	400000	450020	DATA 202
CNGRNT	400000	450035	DATA 203
CNGRNT	400000	450050	DATA 204
CNGRNT	400000	450065	DATA 205
CNGRNT	400000	450080	DATA 206
CNGRNT	400000	450105	DATA 207
CNGRNT	400000	450120	DATA 208
CNGRNT	400000	460030	DATA 209
CNGRNT	400000	460045	DATA 210
CNGRNT	400000	460060	DATA 211
CNGRNT	400000	460075	DATA 212
CNGRNT	400000	460090	DATA 213
CNGRNT	400000	460005	DATA 214
CNGRNT	400000	460020	DATA 215
CNGRNT	400000	460035	DATA 216

CNGRNT	400000	460105	DATA 217
CNGRNT	400000	460120	DATA 218
CNGRNT	400000	460135	DATA 219
CNGRNT	400000	460150	DATA 220
CNGRNT	400000	460165	DATA 221
CNGRNT	400000	470000	DATA 222
CNGRNT	400000	470015	DATA 223
CNGRNT	400000	470030	DATA 224
CNGRNT	400000	470045	DATA 225
CNGRNT	400000	470060	DATA 226
CNGRNT	400000	470075	DATA 227
CNGRNT	400000	470090	DATA 228
CNGRNT	400000	470105	DATA 229
CNGRNT	400000	470120	DATA 230
CNGRNT	400000	470135	DATA 231
CNGRNT	400000	470150	DATA 232
CNGRNT	400000	470165	DATA 233
CNGRNT	480000	480015	DATA 234
CNGRNT	480000	480030	DATA 235
CNGRNT	480000	480045	DATA 236
CNGRNT	480000	480060	DATA 237
CNGRNT	480000	480075	DATA 238
CNGRNT	480000	480090	DATA 239
CNGRNT	480000	480105	DATA 240
CNGRNT	480000	480120	DATA 241
CNGRNT	480000	480135	DATA 242
CNGRNT	480000	480150	DATA 243
CNGRNT	480000	480165	DATA 244
CNGRNT	503008	508008	DATA 245
CNGRNT	503008	513008	DATA 246
CNGRNT	503008	519008	DATA 247
CNGRNT	503008	524008	DATA 248
CNGRNT	503008	529008	DATA 249
CNGRNT	503008	534008	DATA 250
CNGRNT	503008	540008	DATA 251
CNGRNT	503008	545008	DATA 252
CNGRNT	503008	550008	DATA 253
CNGRNT	503009	556008	DATA 254
CNGRNT	503008	561008	DATA 255
CNGRNT	503008	566008	DATA 256
CNGRNT	503008	571008	DATA 257
CNGRNT	503008	577008	DATA 258
CNGRNT	503008	582008	DATA 259
CNGRNT	503008	587008	DATA 260
CNGRNT	503023	508023	DATA 261
CNGRNT	503023	513023	DATA 262
CNGRNT	503023	519023	DATA 263
CNGRNT	503023	524023	DATA 264
CNGRNT	503023	529023	DATA 265
CNGRNT	503023	534023	DATA 266
CNGRNT	503023	540023	DATA 267
CNGRNT	503023	545023	DATA 268
CNGRNT	503023	550023	DATA 269
CNGRNT	503023	556023	DATA 270

CNGRNT	5C3023	561053	DATA 271
CNGRNT	503023	566023	DATA 272
CNGRNT	503023	571023	DATA 273
CNGRNT	503023	577023	DATA 274
CNGRNT	503023	582023	DATA 275
CNGRNT	503023	587023	DATA 276
CNGRNT	503039	508038	DATA 277
CNGRNT	503038	513038	DATA 278
CNGRNT	503038	519038	DATA 279
CNGRNT	503038	524038	DATA 280
CNGRNT	503038	529038	DATA 281
CNGRNT	503038	534038	DATA 282
CNGRNT	503038	540038	DATA 283
CNGRNT	503038	545038	DATA 284
CNGRNT	503038	550038	DATA 285
CNGRNT	503038	555038	DATA 286
CNGRNT	503038	561038	DATA 287
CNGRNT	503038	566038	DATA 288
CNGRNT	503038	571038	DATA 289
CNGRNT	503038	577038	DATA 290
CNGRNT	503038	582038	DATA 291
CNGRNT	503038	587038	DATA 292
CNGRNT	503053	508053	DATA 293
CNGRNT	503053	513053	DATA 294
CNGRNT	503053	519053	DATA 295
CNGRNT	503053	524053	DATA 296
CNGRNT	503053	529053	DATA 297
CNGRNT	503053	534053	DATA 298
CNGRNT	503053	540053	DATA 299
CNGRNT	503053	545053	DATA 300
CNGRNT	503053	550053	DATA 301
CNGRNT	503053	556053	DATA 302
CNGRNT	503053	561053	DATA 303
CNGRNT	503053	566053	DATA 304
CNGRNT	503053	571053	DATA 305
CNGRNT	503053	577053	DATA 306
CNGRNT	503053	582053	DATA 307
CNGRNT	503053	587053	DATA 308
CNGRNT	503068	508068	DATA 309
CNGRNT	503068	513068	DATA 310
CNGRNT	503068	519068	DATA 311
CNGRNT	503068	524068	DATA 312
CNGRNT	503068	529068	DATA 313
CNGRNT	503068	534068	DATA 314
CNGRNT	503068	540068	DATA 315
CNGRNT	503068	545068	DATA 316
CNGRNT	503068	550068	DATA 317
CNGRNT	503068	556068	DATA 318
CNGRNT	503068	561068	DATA 319
CNGRNT	503068	566068	DATA 320
CNGRNT	503068	571068	DATA 321
CNGRNT	503068	577068	DATA 322
CNGRNT	503068	582068	DATA 323
CNGRNT	503068	587068	DATA 324

CNGRNT	503083	508083	325
CNGRNT	503083	513083	DATA
CNGRNT	503083	519083	326
CNGRNT	503083	524083	DATA
CNGRNT	503083	529083	327
CNGRNT	503083	534083	DATA
CNGRNT	503083	540083	328
CNGRNT	503083	545083	DATA
CNGRNT	503083	550083	329
CNGRNT	503083	556083	DATA
CNGRNT	503083	561083	DATA
CNGRNT	503083	566083	330
CNGRNT	503083	571083	DATA
CNGRNT	503083	577083	331
CNGRNT	503083	582083	DATA
CNGRNT	503083	587083	332
CNGRNT	503098	598098	DATA
CNGRNT	503098	513098	333
CNGRNT	503098	519098	DATA
CNGRNT	503098	524098	334
CNGRNT	503098	529098	DATA
CNGRNT	503098	534098	335
CNGRNT	503098	540098	DATA
CNGRNT	503098	545098	336
CNGRNT	503098	550098	DATA
CNGRNT	503098	556098	337
CNGRNT	503098	561098	DATA
CNGRNT	503098	566098	338
CNGRNT	503098	571098	DATA
CNGRNT	503098	577098	339
CNGRNT	503099	582098	DATA
CNGRNT	503099	587098	340
CNGRNT	503113	508113	DATA
CNGRNT	503113	513113	341
CNGRNT	503113	519113	DATA
CNGRNT	503113	524113	342
CNGRNT	503113	529113	DATA
CNGRNT	503113	534113	343
CNGRNT	503113	540113	DATA
CNGRNT	503113	545113	344
CNGRNT	503113	550113	DATA
CNGRNT	503113	556113	345
CNGRNT	503113	561113	DATA
CNGRNT	503113	566113	346
CNGRNT	503113	571113	DATA
CNGRNT	503113	577113	347
CNGRNT	503113	582113	DATA
CNGRNT	503113	587113	348
CNGRNT	503128	508128	DATA
CNGRNT	503128	513128	349
CNGRNT	503128	519128	DATA
CNGRNT	503128	524128	350
CNGRNT	503128	529128	DATA
CNGRNT	503128	534128	351

503126	540128
CNGRNT	CNGRNT
503126	545128
CNGRNT	CNGRNT
503124	550128
CNGRNT	CNGRNT
503124	556128
CNGRNT	CNGRNT
503128	561128
CNGRNT	CNGRNT
503128	566128
CNGRNT	CNGRNT
503128	571128
CNGRNT	CNGRNT
503128	577128
CNGRNT	CNGRNT
503128	582128
CNGRNT	CNGRNT
503129	587128
CNGRNT	CNGRNT
503143	508143
CNGRNT	CNGRNT
503143	513143
CNGRNT	CNGRNT
503143	519143
CNGRNT	CNGRNT
503143	524143
CNGRNT	CNGRNT
503143	529143
CNGRNT	CNGRNT
503143	534143
CNGRNT	CNGRNT
503143	540143
CNGRNT	CNGRNT
503143	545143
CNGRNT	CNGRNT
503143	550143
CNGRNT	CNGRNT
503143	556143
CNGRNT	CNGRNT
503143	561143
CNGRNT	CNGRNT
503143	566143
CNGRNT	CNGRNT
503143	571143
CNGRNT	CNGRNT
503143	577143
CNGRNT	CNGRNT
503143	582143
CNGRNT	CNGRNT
503143	587143
CNGRNT	CNGRNT
503158	508158
CNGRNT	CNGRNT
503158	513158
CNGRNT	CNGRNT
503158	519158
CNGRNT	CNGRNT
503158	524158
CNGRNT	CNGRNT
503158	529158
CNGRNT	CNGRNT
503158	534158
CNGRNT	CNGRNT
503158	540158
CNGRNT	CNGRNT
503158	545158
CNGRNT	CNGRNT
503158	550158
CNGRNT	CNGRNT
503158	556158
CNGRNT	CNGRNT
503158	561158
CNGRNT	CNGRNT
503158	566158
CNGRNT	CNGRNT
503173	571158
CNGRNT	CNGRNT
503173	577158
CNGRNT	CNGRNT
503173	582158
CNGRNT	CNGRNT
503173	587158
CNGRNT	CNGRNT
503173	592173
CNGRNT	CNGRNT
503173	598173
CNGRNT	CNGRNT
503173	513173
CNGRNT	CNGRNT
503173	519173
CNGRNT	CNGRNT
503173	524173
CNGRNT	CNGRNT
503173	529173
CNGRNT	CNGRNT
503173	534173
CNGRNT	CNGRNT
503173	540173
CNGRNT	CNGRNT
503173	545173
CNGRNT	CNGRNT
503173	550173
CNGRNT	CNGRNT
503173	556173
CNGRNT	CNGRNT
503173	561173
CNGRNT	CNGRNT
503173	566173

DATA	DATA
379	380
DATA	DATA
381	382
DATA	DATA
382	383
DATA	DATA
383	384
DATA	DATA
384	385
DATA	DATA
385	386
DATA	DATA
386	387
DATA	DATA
387	388
DATA	DATA
388	389
DATA	DATA
389	390
DATA	DATA
390	391
DATA	DATA
391	392
DATA	DATA
392	393
DATA	DATA
393	394
DATA	DATA
394	395
DATA	DATA
395	396
DATA	DATA
396	397
DATA	DATA
397	398
DATA	DATA
398	399
DATA	DATA
399	400
DATA	DATA
400	401
DATA	DATA
401	402
DATA	DATA
402	403
DATA	DATA
403	404
DATA	DATA
404	405
DATA	DATA
405	406
DATA	DATA
406	407
DATA	DATA
407	408
DATA	DATA
408	409
DATA	DATA
409	410
DATA	DATA
410	411
DATA	DATA
411	412
DATA	DATA
412	413
DATA	DATA
413	414
DATA	DATA
414	415
DATA	DATA
415	416
DATA	DATA
416	417
DATA	DATA
417	418
DATA	DATA
418	419
DATA	DATA
419	420
DATA	DATA
420	421
DATA	DATA
421	422
DATA	DATA
422	423
DATA	DATA
423	424
DATA	DATA
424	425
DATA	DATA
425	426
DATA	DATA
426	427
DATA	DATA
427	428
DATA	DATA
428	429
DATA	DATA
429	430
DATA	DATA
430	431
DATA	DATA
431	432

CNGRNT	503173	571173	DATA 433
CNGRNT	503173	577173	DATA 434
CNGRNT	503173	582173	DATA 435
CNGRNT	503173	587173	DATA 436
CNGRNT	600000	6000015	DATA 437
CNGRNT	600000	6000030	DATA 438
CNGRNT	600000	6000045	DATA 439
CNGRNT	600000	6000060	DATA 440
CNGRNT	600000	6000075	DATA 441
CNGRNT	600000	6000090	DATA 442
CNGRNT	600000	600105	DATA 443
CNGRNT	600000	600120	DATA 444
CNGRNT	600000	600135	DATA 445
CNGRNT	600000	600150	DATA 446
CNGRNT	600000	600165	DATA 447
CNGRNT	610000	6100015	DATA 448
CNGRNT	610000	6100030	DATA 449
CNGRNT	610000	6100045	DATA 450
CNGRNT	610000	6100060	DATA 451
CNGRNT	610000	6100075	DATA 452
CNGRNT	610000	6100090	DATA 453
CNGRNT	610000	610105	DATA 454
CNGRNT	610000	610120	DATA 455
CNGRNT	610000	610135	DATA 456
CNGRNT	610000	610150	DATA 457
CNGRNT	610000	610165	DATA 458
CNGRNT	610000	620000	DATA 459
CNGRNT	610000	6200015	DATA 460
CNGRNT	610000	6200030	DATA 461
CNGRNT	610000	6200045	DATA 462
CNGRNT	610000	6200060	DATA 463
CNGRNT	610000	6200075	DATA 464
CNGRNT	610000	6200090	DATA 465
CNGRNT	610000	620105	DATA 466
CNGRNT	610000	620120	DATA 467
CNGRNT	610000	620135	DATA 468
CNGRNT	610000	620150	DATA 469
CNGRNT	610000	620165	DATA 470
CNGRNT	610000	630000	DATA 471
CNGRNT	610000	6300015	DATA 472
CNGRNT	610000	6300030	DATA 473
CNGRNT	610000	630045	DATA 474
CNGRNT	610000	630135	DATA 475
CNGRNT	610000	630150	DATA 476
CNGRNT	610000	630165	DATA 477
CNGRNT	610000	640000	DATA 478
CNGRNT	610000	630120	DATA 479
CNGRNT	610000	630135	DATA 480
CNGRNT	610000	630150	DATA 481
CNGRNT	610000	640015	DATA 482
CNGRNT	610000	640030	DATA 483
CNGRNT	610000	640045	DATA 484

CNGRNT	610000	640060	DATA 487
CNGRNT	610000	640075	DATA 488
CNGRNT	610000	640090	DATA 489
CNGRNT	610000	640105	DATA 490
CNGRNT	610000	640120	DATA 491
CNGRNT	610000	640135	DATA 492
CNGRNT	610000	640150	DATA 493
CNGRNT	610000	640165	DATA 494
CNGRNT	610000	650000	DATA 495
CNGRNT	610000	650015	DATA 496
CNGRNT	610000	650030	DATA 497
CNGRNT	610000	650045	DATA 498
CNGRNT	610000	650060	DATA 499
CNGRNT	610000	650075	DATA 500
CNGRNT	610000	650090	DATA 501
CNGRNT	610000	650105	DATA 502
CNGRNT	610000	650120	DATA 503
CNGRNT	610000	650135	DATA 504
CNGRNT	610000	650150	DATA 505
CNGRNT	610000	650165	DATA 506
CNGRNT	610000	660000	DATA 507
CNGRNT	610000	660015	DATA 508
CNGRNT	610000	660030	DATA 509
CNGRNT	610000	660045	DATA 510
CNGRNT	610000	660060	DATA 511
CNGRNT	610000	660075	DATA 512
CNGRNT	610000	660090	DATA 513
CNGRNT	610000	660105	DATA 514
CNGRNT	610000	660120	DATA 515
CNGRNT	610000	660135	DATA 516
CNGRNT	610000	660150	DATA 517
CNGRNT	610000	660165	DATA 518
CNGRNT	610000	670000	DATA 519
CNGRNT	610000	670015	DATA 520
CNGRNT	610000	670030	DATA 521
CNGRNT	610000	670045	DATA 522
CNGRNT	610000	670060	DATA 523
CNGRNT	610000	670075	DATA 524
CNGRNT	610000	670090	DATA 525
CNGRNT	610000	680000	DATA 526
CNGRNT	610000	680015	DATA 527
CNGRNT	610000	680030	DATA 528
CNGRNT	610000	680045	DATA 529
CNGRNT	610000	680060	DATA 530
CNGRNT	610000	680075	DATA 531
CNGRNT	610000	680090	DATA 532
CNGRNT	610000	680105	DATA 533
CNGRNT	610000	680120	DATA 534
CNGRNT	610000	680135	DATA 535

```

CNGRNT    610000  680150
CNGRNT    610000  680165
CNGRNT    610000  690000
CNGRNT    610000  690015
CNGRNT    610000  690030
CNGRNT    610000  690045
CNGRNT    610000  690050
CNGRNT    610000  690075
CNGRNT    610000  690090
CNGRNT    610000  690105
CNGRNT    610000  690120
CNGRNT    610000  690135
CNGRNT    610000  690150
CNGRNT    610000  690165

$      S      ELBOW DEFINED IN COORD SYSTEM 1
$      S      STRAIGHT BOTTOM DEFINED IN COORD SYSTEM 2
$      S      STRAIGHT TOP DEFINED IN COORD SYSTEM 3
$      S      ORNL CARTESIAN SYSTEM IS NO. 4
$      S      CORD2C   1.      0.      0.      0.      0.      1.
$      S      +COR1     1.      0.      0.      0.      0.      +COR1
$      S      CORD2C   2.      0.      0.      15.     -1.      0.
$      S      +COR2     0.      14.     0.      0.      15.     0.
$      S      CORD2C   3.      0.      15.     0.      0.      1.
$      S      +COR3     14.     0.      0.      0.      0.      +COR3
$      S      CORD2R   4.      0.      0.      0.      0.      -1.
$      S      +COR4     1.      0.      0.      0.      0.      +COR4
$      S      FINITE ELEMENT PLATING
$      S      CQUAD2   390000  200    390000  400000  400015  390015
$      S      CQUAD2   390015  200    390015  400015  400030  390030
$      S      CQUAD2   390030  200    390030  400030  400045  390045
$      S      CQUAD2   390045  200    390045  400045  400060  390060
$      S      CQUAD2   390060  200    390060  400060  400075  390075
$      S      CQUAD2   390075  200    390075  400075  400090  390090
$      S      CQUAD2   390090  200    390090  400090  400105  390105
$      S      CQUAD2   390105  200    390105  400105  400120  390120
$      S      CQUAD2   390120  200    390120  400120  400135  390135
$      S      CQUAD2   390135  200    390135  400135  400150  390150
$      S      CQUAD2   390150  200    390150  400150  400165  390165
$      S      CQUAD2   390165  200    390165  400165  400180  390180
$      S      CQUAD2   400000  200    400000  410000  410015  400015
$      S      CQUAD2   400015  200    400015  410015  410030  400030
$      S      CQUAD2   400030  200    400030  410030  410045  400045
$      S      CQUAD2   400045  200    400045  410045  410060  400060
$      S      CQUAD2   400060  200    400060  410060  410075  400075
$      S      CQUAD2   400075  200    400075  410075  410090  400090
$      S      CQUAD2   400090  200    400090  410090  410105  400105
$      S      CQUAD2   400105  200    400105  410105  410120  400120
$      S      CQUAD2   400120  200    400120  410120  410135  400135
$      S      CQUAD2   400135  200    400135  410135  410150  400150
$      S      CQUAD2   400150  200    400150  410150  410165  400165

```

CQUAD2	400165	200	400165	410165	410180	400180	595
CQUAD2	410000	200	410000	420000	420015	410015	596
CQUAD2	410015	200	410015	420015	420030	410030	597
CQUAD2	410030	200	410030	420030	420045	410045	598
CQUAD2	410045	200	410045	420045	420060	410060	599
CQUAD2	410060	200	410060	420060	420075	410075	600
CQUAD2	410075	200	410075	420075	420090	410090	601
CQUAD2	410090	200	410090	420090	420105	410105	602
CQUAD2	410105	200	410105	420105	420120	410120	603
CQUAD2	410120	200	410120	420120	420135	410135	604
CQUAD2	410135	200	410135	420135	420150	410150	605
CQUAD2	410150	200	410150	420150	420165	410165	606
CQUAD2	410165	200	410165	420165	420180	410180	607
CQUAD2	420000	200	420000	430000	430015	420015	608
CQUAD2	420015	200	420015	430015	430030	420030	609
CQUAD2	420030	200	420030	430030	430045	420045	610
CQUAD2	420045	200	420045	430045	430060	420060	611
CQUAD2	420060	200	420060	430060	430075	420075	612
CQUAD2	420075	200	420075	430075	430090	420090	613
CQUAD2	420090	200	420090	430090	430105	420105	614
CQUAD2	420105	200	420105	430105	430120	420120	615
CQUAD2	420120	200	420120	430120	430135	420135	616
CQUAD2	420135	200	420135	430135	430150	420150	617
CQUAD2	420150	200	420150	430150	430165	420165	618
CQUAD2	420165	200	420165	430165	430180	420180	619
CQUAD2	430000	200	430000	440000	440015	430015	620
CQUAD2	430015	200	430015	440015	440030	430030	621
CQUAD2	430030	200	430030	440030	440045	430045	622
CQUAD2	430045	200	430045	440045	440060	430060	623
CQUAD2	430060	200	430050	440060	440075	430075	624
CQUAD2	430075	200	430075	440075	440090	430090	625
CQUAD2	430090	200	430090	440090	440105	430105	626
CQUAD2	430105	200	430105	440105	440120	430120	627
CQUAD2	430120	200	430120	440120	440135	430135	628
CQUAD2	430135	200	430135	440135	440150	430150	629
CQUAD2	430150	200	430150	440150	440165	430165	630
CQUAD2	430165	200	430165	440165	440180	430180	631
CQUAD2	440000	200	440000	450000	450015	440015	632
CQUAD2	440015	200	440015	450015	450030	440030	633
CQUAD2	440030	200	440030	450030	450045	440045	634
CQUAD2	440045	200	440045	450045	450060	440060	635
CQUAD2	440060	200	440050	450060	450075	440075	636
CQUAD2	440075	200	440075	450075	450090	440090	637
CQUAD2	440090	200	440090	450090	450105	440105	638
CQUAD2	440105	200	440105	450105	450120	440120	639
CQUAD2	440120	200	440120	450120	450135	440135	640
CQUAD2	440135	200	440135	450135	450150	440150	641
CQUAD2	440150	200	440150	450150	450165	440165	642
CQUAD2	440165	200	440165	450165	450180	440180	643
CQUAD2	450000	200	450000	460000	460015	450015	644
CQUAD2	450015	200	450015	460015	460030	450030	645
CQUAD2	450030	200	450030	460030	460045	450045	646
CQUAD2	450045	200	450045	460045	460060	450060	647
CQUAD2	450060	200	450060	460060	460075	450075	648

CQUAD2	4.00165	490165	500165	500160	490180	703
CQUAD2	503008	200	500000	505000	505015	704
CQUAD2	503023	200	500015	505015	500015	705
CQUAD2	503038	200	500030	505030	500030	706
CQUAD2	503053	200	500045	505045	500045	707
CQUAD2	503068	200	500060	505060	500060	708
CQUAD2	503083	200	500075	505075	500075	709
CQUAD2	503098	200	500090	505090	500090	710
CQUAD2	503113	200	500105	505105	500105	711
CQUAD2	503128	200	500120	505120	500120	712
CQUAD2	503143	200	500135	505135	500135	713
CQUAD2	503158	200	500150	505150	500150	714
CQUAD2	508068	200	500165	505165	500165	715
CQUAD2	508083	200	505000	511000	511000	716
CQUAD2	508098	200	505015	511015	505015	717
CQUAD2	508113	200	505030	511030	505045	718
CQUAD2	508128	200	505045	511045	505060	719
CQUAD2	508143	200	505060	511060	505060	720
CQUAD2	508158	200	505075	511075	505075	721
CQUAD2	508173	200	505090	511090	505090	722
CQUAD2	513008	200	505105	511105	505120	723
CQUAD2	513023	200	505120	511120	505135	724
CQUAD2	513038	200	505135	511135	505150	725
CQUAD2	513053	200	505150	511150	505165	726
CQUAD2	513068	200	505165	511165	505180	727
CQUAD2	513083	200	511000	516000	511015	728
CQUAD2	513098	200	511015	516015	511030	729
CQUAD2	513113	200	511105	516105	511120	730
CQUAD2	513128	200	511120	516120	511135	731
CQUAD2	513143	200	511135	516135	511150	732
CQUAD2	513158	200	511150	516150	511165	733
CQUAD2	513173	200	511165	516165	511180	734
CQUAD2	519008	200	516000	521000	516015	735
CQUAD2	519023	200	516015	521015	516030	736
CQUAD2	519038	200	516030	521030	516045	737
CQUAD2	519053	200	516045	521045	516060	738
CQUAD2	519068	200	516060	521060	516075	739
CQUAD2	519083	200	516075	521075	516075	740
CQUAD2	519108	200	516100	521090	516105	741
CQUAD2	519113	200	516105	521105	516105	742
CQUAD2	524008	200	516120	521120	516135	743
CQUAD2	524023	200	516135	521135	516150	744
CQUAD2	524038	200	521030	526030	526045	745
CQUAD2	524053	200	521045	526045	526060	746
CQUAD2	52~068	200	521060	526060	526075	747

CQUAD2	524083	200	521075	526075	526090	521090	DATA
CQUAD2	524098	200	521090	526105	521105	DATA	
CQUAD2	524113	200	521105	526105	521120	DATA	
CQUAD2	524128	200	521120	526120	521135	DATA	
CQUAD2	524143	200	521135	526135	521150	DATA	
CQUAD2	524158	200	521150	526150	521165	DATA	
CQUAD2	524173	200	521165	526165	521180	DATA	
CQUAD2	529068	200	526000	532075	526090	DATA	
CQUAD2	529083	200	526000	532075	526090	DATA	
CQUAD2	529098	200	526000	532090	526090	DATA	
CQUAD2	529103	200	526015	532015	526030	DATA	
CQUAD2	529108	200	526030	532030	526045	DATA	
CQUAD2	529053	200	526045	532045	526060	DATA	
CQUAD2	529068	200	526060	532060	526075	DATA	
CQUAD2	529143	200	526135	532135	526150	DATA	
CQUAD2	529158	200	526150	532150	526165	DATA	
CQUAD2	529173	200	526165	532165	526180	DATA	
CQUAD2	529113	200	526105	532105	526120	DATA	
CQUAD2	529123	200	526120	532120	526135	DATA	
CQUAD2	529143	200	526135	532135	526150	DATA	
CQUAD2	534053	200	526150	532150	526165	DATA	
CQUAD2	534068	200	526090	532090	526105	DATA	
CQUAD2	534008	200	532000	537000	532015	DATA	
CQUAD2	534023	200	532015	537015	532030	DATA	
CQUAD2	534038	200	532030	537030	532045	DATA	
CQUAD2	534053	200	532045	537045	532060	DATA	
CQUAD2	534068	200	532060	537060	532075	DATA	
CQUAD2	534083	200	532075	537075	532090	DATA	
CQUAD2	534098	200	532090	537090	532105	DATA	
CQUAD2	534113	200	532105	537105	532120	DATA	
CQUAD2	534128	200	532120	537120	532135	DATA	
CQUAD2	534143	200	532135	537135	532150	DATA	
CQUAD2	534158	200	532150	537150	532165	DATA	
CQUAD2	534173	200	532165	537165	532180	DATA	
CQUAD2	540008	200	537000	542000	542015	DATA	
CQUAD2	540023	200	537015	542015	542030	DATA	
CQUAD2	540038	200	537030	542030	542045	DATA	
CQUAD2	540053	200	537045	542045	542060	DATA	
CQUAD2	540068	200	537060	542060	542075	DATA	
CQUAD2	540083	200	537075	542075	542090	DATA	
CQUAD2	540098	200	537090	542090	542105	DATA	
CQUAD2	540113	200	537105	542105	542120	DATA	
CQUAD2	540128	200	537120	542120	542135	DATA	
CQUAD2	540143	200	537135	542135	542150	DATA	
CQUAD2	540158	200	537150	542150	542165	DATA	
CQUAD2	540173	200	537165	542165	542180	DATA	
CQUAD2	545008	200	542000	548000	548015	DATA	
CQUAD2	545023	200	542015	548015	548030	DATA	
CQUAD2	545038	200	542030	548030	548045	DATA	
CQUAD2	545053	200	542045	548045	548060	DATA	
CQUAD2	545068	200	542060	548060	548075	DATA	
CQUAD2	545083	200	542075	548075	548090	DATA	
CQUAD2	545098	200	542090	548090	548105	DATA	
CQUAD2	545113	200	542105	548105	548120	DATA	
CQUAD2	545128	200	542120	548120	548135	DATA	
CQUAD2	545143	200	542135	548135	548150	DATA	
CQUAD2	545158	200	542150	548150	548165	DATA	

CQUAD2	541173	542165	548165	548130	542180
CQUAD2	550008	548000	553000	553015	542015
CQUAC2	550023	200	548015	553015	542030
CQUAD2	550038	200	548030	553030	542045
CQUAD2	550053	200	548045	553045	542060
CQUAD2	550068	200	549060	553060	542075
CQUAD2	550083	200	548075	553075	542090
CQUAD2	550098	200	548090	553090	543105
CQUAD2	550113	200	548105	553105	543120
CQUAD2	550128	200	548120	553120	543135
CQUAD2	550143	200	548135	553135	543150
CQUAD2	550158	200	548150	553150	543165
CQUAD2	550173	200	548165	553165	543180
CQUAD2	556003	200	553000	558000	553015
CQUAD2	556023	200	553015	558015	553030
CQUAD2	556038	200	553030	558030	558045
CQUAD2	556053	200	553045	558045	558060
CQUAD2	556068	200	553060	558060	558075
CQUAD2	556083	200	553075	558075	553090
CQUAD2	556098	200	553090	558090	553105
CQUAD2	556113	200	553105	558095	553120
CQUAD2	556128	200	553120	558120	553135
CQUAD2	556143	200	553135	558135	553150
CQUAD2	556158	200	553150	558150	553165
CQUAD2	556173	200	553165	558165	553180
CQUAD2	561008	200	558000	564000	553190
CQUAD2	561023	200	558015	564015	558090
CQUAD2	561038	200	558030	564030	558090
CQUAD2	561053	200	558045	564045	558095
CQUAD2	561068	200	558060	564060	558075
CQUAD2	561083	200	558075	564075	558090
CQUAD2	561098	200	558090	564090	558105
CQUAD2	561113	200	558105	564105	558120
CQUAD2	561128	200	558120	564120	558135
CQUAD2	561143	200	558135	564135	564150
CQUAD2	561158	200	558150	564150	564165
CQUAD2	561173	200	558165	564165	564190
CQUAD2	566008	200	564000	569000	569015
CQUAD2	566023	200	564015	569015	569030
CQUAD2	566038	200	564030	569030	569045
CQUAD2	566053	200	564045	569045	569060
CQUAD2	566068	200	564060	569060	569075
CQUAD2	566083	200	564075	569075	569090
CQUAD2	566098	200	564090	569090	569105
CQUAD2	566113	200	564105	569105	569120
CQUAD2	566128	200	564120	569120	569135
CQUAD2	566143	200	564135	569135	569150
CQUAD2	566158	200	564150	569150	569165
CQUAD2	566173	200	564165	569165	569180
CQUAD2	571008	200	569000	574000	574015
CQUAD2	571023	200	569015	574015	574030
CQUAD2	571038	200	569030	574030	574045
CQUAD2	571053	200	569045	574045	574060
CQUAD2	571068	200	569060	574060	574075

CQUAD2	571083	200	569075	574075	560090
CQUAD2	571098	200	569090	574090	560105
CQUAD2	571113	200	569105	574105	560120
CQUAD2	571128	200	569120	574120	560135
CQUAD2	571143	200	569135	574135	560150
CQUAD2	571158	200	569150	574150	560165
CQUAD2	571173	200	569165	574165	560180
CQUAD2	577008	200	574000	579000	579C15
CQUAD2	577023	200	574015	579015	579C30
CQUAD2	577038	200	574030	579030	579C45
CQUAD2	577053	200	574045	579045	579C60
CQUAD2	577068	200	574060	579060	579075
CQUAD2	577083	200	574075	579075	579090
CQUAD2	577098	200	574090	579090	579105
CQUAD2	577113	200	574105	579105	579120
CQUAD2	577128	200	574120	579120	579135
CQUAD2	577143	200	574135	579135	579150
CQUAD2	577158	200	574150	579150	579165
CQUAD2	577173	200	574165	579165	579180
CQUAD2	582008	200	579000	585000	585015
CQUAD2	582023	200	579015	585015	585030
CQUAD2	582038	200	579030	585030	585045
CQUAD2	582053	200	579045	585045	585060
CQUAD2	592068	200	579060	585060	585075
CQUAD2	582083	200	579075	585075	585C90
CQUAD2	582098	200	579090	585090	5851C5
CQUAD2	582113	200	579105	585105	585120
CQUAD2	582128	200	579120	585120	585135
CQUAD2	582143	200	579135	585135	585150
CQUAD2	582158	200	579150	585150	585165
CQUAD2	582173	200	579165	585165	585180
CQUAD2	587028	200	585000	590000	590C15
CQUAD2	587023	200	585015	590015	590C40
CQUAD2	587038	200	585030	590030	590C60
CQUAD2	587053	200	585045	590045	590C80
CQUAD2	587068	200	585060	590060	590C90
CQUAD2	587083	200	585075	590075	590C95
CQUAD2	587098	200	585090	590090	590105
CQUAD2	587113	200	585105	590105	590120
CQUAD2	587128	200	585120	590120	590135
CQUAD2	587143	200	585135	590135	590150
CQUAD2	587158	200	585150	590150	590165
CQUAD2	587173	200	585165	590165	590180
CQUAD2	590000	200	590000	600000	600015
CQUAD2	590015	200	590015	600015	600C30
CQUAD2	590030	200	590030	600030	600045
CQUAD2	590045	200	590045	600045	600C60
CQUAD2	590060	200	590060	600060	600075
CQUAD2	590075	200	590075	600075	600C90
CQUAD2	590090	200	590090	600090	6001C5
CQUAD2	590105	200	590105	600105	600120
CQUAD2	590120	200	590120	600120	600135
CQUAD2	590135	200	590135	600135	600150
CQUAD2	590150	200	590150	600150	600165

CQUAD2	510165	590165	600165	590180	590180
CQUAD2	630300	600000	610000	610015	600015
CQUAD2	600015	200	600015	610015	610030
CQUAD2	600030	200	600030	610030	600030
CQUAD2	600045	200	600045	610045	600045
CQUAD2	600060	200	600060	610060	600060
CQUAD2	600075	200	600075	610075	600075
CQUAD2	600090	200	600090	610090	600090
CQUAD2	600105	200	600105	610105	600105
CQUAD2	600120	200	600120	610120	600120
CQUAD2	600135	200	600135	610135	600135
CQUAD2	600150	200	600150	610150	600150
CQUAD2	600165	200	600165	610165	600165
CQUAD2	610000	200	610000	620000	610015
CQUAD2	610015	200	610015	620015	610015
CQUAD2	610030	200	610030	620030	610030
CQUAD2	610045	200	610045	620045	610045
CQUAD2	610060	200	610060	620060	610060
CQUAD2	610075	200	610075	620075	610075
CQUAD2	610090	200	610090	620090	610090
CQUAD2	610105	200	610105	620105	610105
CQUAD2	610120	200	610120	620120	610120
CQUAD2	610135	200	610135	620135	610135
CQUAD2	610150	200	610150	620150	610150
CQUAD2	610165	200	610165	620165	610165
CQUAD2	620000	200	620000	630000	620000
CQUAD2	620015	200	620015	630015	620015
CQUAD2	620030	200	620030	630030	620030
CQUAD2	620045	200	620045	630045	620045
CQUAD2	620060	200	620060	630060	620060
CQUAD2	620075	200	620075	630075	620075
CQUAD2	620090	200	620090	630090	620090
CQUAD2	620105	200	620105	630105	620105
CQUAD2	620120	200	620120	630120	620120
CQUAD2	620135	200	620135	630135	620135
CQUAD2	620150	200	620150	630150	620150
CQUAD2	620165	200	620165	630165	620165
CQUAD2	630000	200	630000	640000	630000
CQUAD2	630015	200	630015	640015	630015
CQUAD2	630030	200	630030	640030	630030
CQUAD2	630045	200	630045	640045	630045
CQUAD2	630060	200	630060	640060	630060
CQUAD2	630075	200	630075	640075	630075
CQUAD2	630090	200	630090	640090	630090
CQUAD2	630105	200	630105	640105	630105
CQUAD2	630120	200	630120	640120	630120
CQUAD2	630135	200	630135	640135	630135
CQUAD2	630150	200	630150	640150	630150
CQUAD2	630165	200	630165	640165	630165
CQUAD2	640000	200	640000	650000	640015
CQUAD2	640015	200	640015	650015	640015
CQUAD2	640030	200	640030	650030	640030
CQUAD2	640045	200	640045	650045	640045
CQUAD2	640060	200	640060	650060	640060

CQUAD2	6.0075	200	640075	650075	C50030	640090	DATA	973
CQUAD2	640090	200	640090	650090	650105	640105	DATA	974
CQUAD2	6.40105	200	640105	650105	650120	640120	DATA	975
CQUAD2	640120	200	640120	650120	650135	640135	DATA	976
CQUAD2	640135	200	640135	650135	650150	640150	DATA	977
CQUAD2	640150	200	640150	650150	650165	640165	DATA	978
CQUAD2	640165	200	640165	650165	650180	640180	DATA	979
CQUAD2	650000	200	650000	660000	660015	650015	DATA	980
CQUAD2	650015	200	650015	660015	660030	650030	DATA	981
CQUAD2	650030	200	650030	660030	660045	650045	DATA	982
CQUAD2	650045	200	650045	660045	660060	650060	DATA	983
CQUAD2	650060	200	650060	660060	660075	650075	DATA	984
CQUAD2	650135	200	650135	660135	660150	650150	DATA	985
CQUAD2	650150	200	650150	660150	660165	650165	DATA	990
CQUAD2	650165	200	650165	660165	660180	650180	DATA	991
CQUAD2	660000	200	660000	670000	670015	660015	DATA	992
CQUAD2	660015	200	660015	670015	670030	660030	DATA	993
CQUAD2	660030	200	660030	670030	670045	660045	DATA	994
CQUAD2	660045	200	660045	670045	670060	660060	DATA	995
CQUAD2	660060	200	660060	670060	670075	660075	DATA	996
CQUAD2	660075	200	660075	670075	670090	660090	DATA	997
CQUAD2	660090	200	660090	670090	670105	660105	DATA	998
CQUAD2	660105	200	660105	670105	670120	660120	DATA	999
CQUAD2	660120	200	660120	670120	670135	660135	DATA	1000
CQUAD2	660135	200	660135	670135	670150	660150	DATA	1001
CQUAD2	660150	200	660150	670150	670165	660165	DATA	1002
CQUAD2	660165	200	660165	670165	670180	660180	DATA	1003
CQUAD2	670000	200	670000	680000	680015	670015	DATA	1004
CQUAD2	670015	200	670015	680015	680030	670030	DATA	1005
CQUAD2	670030	200	670030	680030	680045	670045	DATA	1006
CQUAD2	670045	200	670045	680045	680060	670060	DATA	1007
CQUAD2	670060	200	670060	680060	680075	670075	DATA	1008
CQUAD2	670075	200	670075	680075	680090	670090	DATA	1009
CQUAD2	670090	200	670090	680090	680105	670105	DATA	1010
CQUAD2	670105	200	670105	680105	680120	670120	DATA	1011
CQUAD2	670120	200	670120	680120	680135	670135	DATA	1012
CQUAD2	670135	200	670135	680135	680150	670150	DATA	1013
CQUAD2	670150	200	670150	680150	680165	670165	DATA	1014
CQUAD2	670165	200	670165	680165	680180	670180	DATA	1015
CQUAD2	680000	200	680000	690000	690015	680015	DATA	1016
CQUAD2	680015	200	680015	690015	690030	680030	DATA	1017
CQUAD2	680030	200	680030	690030	690045	680045	DATA	1018
CQUAD2	680045	200	680045	690045	690060	680060	DATA	1019
CQUAD2	680060	200	680060	690060	690075	680075	DATA	1020
CQUAD2	680075	200	680075	690075	690090	680090	DATA	1021
CQUAD2	680090	200	680090	690090	690105	680105	DATA	1022
CQUAD2	680105	200	680105	690105	690120	680120	DATA	1023
CQUAD2	680120	200	680120	690120	690135	680135	DATA	1024
CQUAD2	680135	200	680135	690135	690150	680150	DATA	1025
CQUAD2	680150	200	680150	690150	690165	680165	DATA	1026

```

CQUADD2    680165    200    680165    680165    680165    680165    DATA 1027
CQUADD2    690000    200    690000    700000    700000    700000    DATA 1028
CQUADD2    690015    200    690015    700015    700015    700015    DATA 1029
CQUADD2    690030    200    690030    700030    700030    700030    DATA 1030
CQUADD2    690045    200    690045    700045    700045    700045    DATA 1031
CQUADD2    690060    200    690060    700060    700060    700060    DATA 1032
CQUADD2    690075    200    690075    700075    700075    700075    DATA 1033
CQUADD2    690090    200    690090    700090    700090    700090    DATA 1034
CQUADD2    690105    200    690105    700105    700105    700105    DATA 1035
CQUADD2    690120    200    690120    700120    700120    700120    DATA 1036
CQUADD2    690135    200    690135    700135    700135    700135    DATA 1037
CQUADD2    690150    200    690150    700150    700150    700150    DATA 1038
CQUADD2    690165    200    690165    700165    700165    700165    DATA 1039
$      RIGID CONNECTION FOR FREE ( LOADED ) END OF PIPE
$      CRIGD1   1     2000500  100500  DATA 1040
$      CRIGD1   2     2000500  390000  DATA 1041
$      CRIGD1   3     2000500  3900015 DATA 1042
$      CRIGD1   4     2000500  3900030 DATA 1043
$      CRIGD1   5     2000500  3900045 DATA 1044
$      CRIGD1   6     2000500  3900060 DATA 1045
$      CRIGD1   7     2000500  3900075 DATA 1046
$      CRIGD1   8     2000500  3900090 DATA 1047
$      CRIGD1   9     2000500  3900105 DATA 1048
$      CRIGD1  10    2000500  3900120 DATA 1049
$      CRIGD1  11    2000500  3900135 DATA 1050
$      CRIGD1  12    2000500  3900150 DATA 1051
$      CRIGD1  13    2000500  3900165 DATA 1052
$      CRIGD1  14    2000500  3900180 DATA 1053
$      END CAP LOAD DUE TO UNIT INTERNAL PRESSURE
$      FORCE    21    2000500  3 41.3954  0.  0.  -1.
$      GRID POINTS
$      MYTHICAL CENTER POINT 1 UNIT BEYOND FREE END OF PIPE
$      GRID    100500  0  15.0  -22.0  0.  4
$      MYTHICAL CENTER POINT AT FREE END OF PIPE
$      GRID    2000500  0  15.0  -21.0  0.  4
$      STRAIGHT SECTION ABOVE THETA=0
$      GRID    3000000  3  5.1630  0.000-21.0000 3
$      GRID    390015  3  5.1630  15.000-21.0000 3
$      GRID    390030  3  5.1630  30.000-21.0000 3
$      GRID    390045  3  5.1630  45.000-21.0000 3
$      GRID    390060  3  5.1630  60.000-21.0000 3
$      GRID    390075  3  5.1630  75.000-21.0000 3
$      GRID    390090  3  5.1630  90.000-21.0000 3

```

390105	3	5.1630	105.000-21.0000	3	3	DATA 1081	
GRID	390120	3	5.1630	120.000-21.0000	3	3	DATA 1082
GRID	390135	3	5.1630	135.000-21.0000	3	3	DATA 1083
GRID	390150	3	5.1630	150.000-21.0000	3	3	DATA 1084
GRID	390165	3	5.1630	165.000-21.0000	3	3	DATA 1085
GRID	390180	3	5.1630	180.000-21.0000	3	3	DATA 1086
GRID	400000	3	5.1630	0.000-18.5000	3	3	DATA 1087
GRID	400015	3	5.1630	15.000-18.5000	3	3	DATA 1088
GRID	400030	3	5.1630	30.000-18.5000	3	3	DATA 1089
GRID	400045	3	5.1630	45.000-18.5000	3	3	DATA 1090
GRID	400060	3	5.1630	60.000-18.5000	3	3	DATA 1091
GRID	400075	3	5.1630	75.000-18.5000	3	3	DATA 1092
GRID	400090	3	5.1630	90.000-18.5000	3	3	DATA 1093
GRID	400105	3	5.1630	105.000-18.5000	3	3	DATA 1094
GRID	400120	3	5.1630	120.000-18.5000	3	3	DATA 1095
GRID	400135	3	5.1630	135.000-18.5000	3	3	DATA 1096
GRID	400150	3	5.1630	150.000-18.5000	3	3	DATA 1097
GRID	400165	3	5.1630	165.000-18.5000	3	3	DATA 1098
GRID	400180	3	5.1630	180.000-18.5000	3	3	DATA 1099
GRID	410000	3	5.1630	0.000-16.5000	3	3	DATA 1100
GRID	410015	3	5.1630	15.000-16.5000	3	3	DATA 1101
GRID	410030	3	5.1630	30.000-16.5000	3	3	DATA 1102
GRID	410045	3	5.1630	45.000-16.5000	3	3	DATA 1103
GRID	410060	3	5.1630	60.000-16.5000	3	3	DATA 1104
GRID	410075	3	5.1630	75.000-16.5000	3	3	DATA 1105
GRID	410090	3	5.1630	90.000-16.5000	3	3	DATA 1106
GRID	410105	3	5.1630	105.000-16.5000	3	3	DATA 1107
GRID	410120	3	5.1630	120.000-16.5000	3	3	DATA 1108
GRID	410135	3	5.1630	135.000-16.5000	3	3	DATA 1109
GRID	410150	3	5.1630	150.000-16.5000	3	3	DATA 1110
GRID	410165	3	5.1630	165.000-16.5000	3	3	DATA 1111
GRID	410180	3	5.1630	180.000-16.5000	3	3	DATA 1112
GRID	420000	3	5.1630	0.000-14.5000	3	3	DATA 1113
GRID	420015	3	5.1630	15.000-14.5000	3	3	DATA 1114
GRID	420030	3	5.1630	30.000-14.5000	3	3	DATA 1115
GRID	420045	3	5.1630	45.000-14.5000	3	3	DATA 1116
GRID	420060	3	5.1630	60.000-14.5000	3	3	DATA 1117
GRID	420075	3	5.1630	75.000-14.5000	3	3	DATA 1118
GRID	420090	3	5.1630	90.000-14.5000	3	3	DATA 1119
GRID	420105	3	5.1630	105.000-14.5000	3	3	DATA 1120
GRID	420120	3	5.1630	120.000-14.5000	3	3	DATA 1121
GRID	420135	3	5.1630	135.000-14.5000	3	3	DATA 1122
GRID	420150	3	5.1630	150.000-14.5000	3	3	DATA 1123
GRID	420165	3	5.1630	165.000-14.5000	3	3	DATA 1124
GRID	420180	3	5.1630	180.000-14.5000	3	3	DATA 1125
GRID	430000	3	5.1630	0.000-12.5000	3	3	DATA 1126
GRID	430015	3	5.1630	15.000-12.5000	3	3	DATA 1127
GRID	430030	3	5.1630	30.000-12.5000	3	3	DATA 1128
GRID	430045	3	5.1630	45.000-12.5000	3	3	DATA 1129
GRID	430060	3	5.1630	60.000-12.5000	3	3	DATA 1130
GRID	430075	3	5.1630	75.000-12.5000	3	3	DATA 1131
GRID	430090	3	5.1630	90.000-12.5000	3	3	DATA 1132
GRID	430105	3	5.1630	105.000-12.5000	3	3	DATA 1133
GRID	430120	3	5.1630	120.000-12.5000	3	3	DATA 1134

GRID	450135	5.1630	135.000-12.5C00	3	DATA 1135
GRID	430150	3.5.1630	150.000-12.5000	3	DATA 1136
GRID	430165	3.5.1E30	165.000-12.5C00	3	DATA 1137
GRID	430180	3.5.1630	180.000-12.5000	3	DATA 1138
GRID	440000	3.5.1630	0.000-10.5000	3	DATA 1139
GRID	440015	3.5.1630	15.000-10.5000	3	DATA 1140
GRID	440030	3.5.1630	30.000-10.5000	3	DATA 1141
GRID	440045	3.5.1630	45.000-10.5000	3	DATA 1142
GRID	440060	3.5.1630	60.000-10.5000	3	DATA 1143
GRID	440075	3.5.1630	75.000-10.5000	3	DATA 1144
GRID	440090	3.5.1630	90.000-10.5000	3	DATA 1145
GRID	440105	3.5.1630	105.000-10.5000	3	DATA 1146
GRID	440120	3.5.1630	120.000-10.5000	3	DATA 1147
GRID	440135	3.5.1630	135.000-10.5000	3	DATA 1148
GRID	440150	3.5.1630	150.000-10.5000	3	DATA 1149
GRID	440165	3.5.1630	165.000-10.5000	3	DATA 1150
GRID	440180	3.5.1630	180.000-10.5000	3	DATA 1151
GRID	450000	3.5.1630	0.000 -8.5C00	3	DATA 1152
GRID	450015	3.5.1630	15.000 -8.5030	3	DATA 1153
GRID	450030	3.5.1630	30.000 -8.5C00	3	DATA 1154
GRID	450045	3.5.1630	45.000 -8.5C00	3	DATA 1155
GRID	450060	3.5.1630	60.000 -8.5000	3	DATA 1156
GRID	450075	3.5.1630	75.000 -8.5020	3	DATA 1157
GRID	450090	3.5.1630	90.000 -8.50L9	3	DATA 1158
GRID	450105	3.5.1630	105.000 -8.5C00	3	DATA 1159
GRID	450120	3.5.1630	120.000 -8.5C00	3	DATA 1160
GRID	450135	3.5.1630	135.000 -8.5C00	3	DATA 1161
GRID	450150	3.5.1630	150.000 -8.5C00	3	DATA 1162
GRID	450165	3.5.1630	165.000 -8.5000	3	DATA 1163
GRID	450180	3.5.1630	180.000 -8.5C00	3	DATA 1164
GRID	460000	3.5.1630	0.000 -6.5000	3	DATA 1165
GRID	460015	3.5.1630	15.000 -6.5C00	3	DATA 1166
GRID	460030	3.5.1630	30.000 -6.5C00	3	DATA 1167
GRID	460045	3.5.1630	45.000 -6.5C00	3	DATA 1168
GRID	460060	3.5.1630	60.000 -6.5C00	3	DATA 1169
GRID	460075	3.5.1630	75.000 -6.5C00	3	DATA 1170
GRID	460090	3.5.1630	90.000 -6.5000	3	DATA 1171
GRID	460105	3.5.1630	105.000 -6.5C00	3	DATA 1172
GRID	460120	3.5.1630	120.000 -6.5000	3	DATA 1173
GRID	460135	3.5.1630	135.000 -6.5000	3	DATA 1174
GRID	460150	3.5.1630	150.000 -6.5C00	3	DATA 1175
GRID	460165	3.5.1630	165.000 -6.5C00	3	DATA 1176
GRID	460180	3.5.1630	180.000 -6.5C00	3	DATA 1177
GRID	470000	3.5.1630	0.000 -4.5000	3	DATA 1178
GRID	470015	3.5.1630	15.000 -4.5C00	3	DATA 1179
GRID	470030	3.5.1630	30.000 -4.5C00	3	DATA 1180
GRID	470045	3.5.1630	45.000 -4.5C00	3	DATA 1181
GRID	470060	3.5.1630	60.000 -4.5C00	3	DATA 1182
GRID	470075	3.5.1630	75.000 -4.5C00	3	DATA 1183
GRID	470090	3.5.1630	90.000 -4.5C00	3	DATA 1184
GRID	470105	3.5.1630	105.000 -4.5C00	3	DATA 1185
GRID	470120	3.5.1630	120.000 -4.5C00	3	DATA 1186
GRID	470135	3.5.1630	135.000 -4.5C00	3	DATA 1187
GRID	470150	3.5.1630	150.000 -4.5C00	3	DATA 1188

GRID	470165	3	5.1630	165.000	-4.5000	3		DATA 1189
GRID	470180	3	5.1630	180.000	-4.5000	3		DATA 1190
GRID	480000	3	5.1630	0.000	-2.5000	3		DATA 1191
GRID	480015	3	5.1630	15.000	-2.5000	3		DATA 1192
GRID	480030	3	5.1630	30.000	-2.5000	3		DATA 1193
GRID	480045	3	5.1630	45.000	-2.5000	3		DATA 1194
GRID	480060	3	5.1630	60.000	-2.5000	3		DATA 1195
GRID	480075	3	5.1630	75.000	-2.5000	3		DATA 1196
GRID	480090	3	5.1630	90.000	-2.5000	3		DATA 1197
GRID	480105	3	5.1630	105.000	-2.5000	3		DATA 1198
GRID	480120	3	5.1630	120.000	-2.5000	3		DATA 1199
GRID	480135	3	5.1630	135.000	-2.5000	3		DATA 1200
GRID	480150	3	5.1630	150.000	-2.5000	3		DATA 1201
GRID	480165	3	5.1630	165.000	-2.5000	3		DATA 1202
GRID	480180	3	5.1630	180.000	-2.5000	3		DATA 1203
GRID	490000	3	5.1630	0.000	-1.0000	3		DATA 1204
GRID	490015	3	5.1630	15.000	-1.0000	3		DATA 1205
GRID	490030	3	5.1630	30.000	-1.0000	3		DATA 1206
GRID	490045	3	5.1630	45.000	-1.0000	3		DATA 1207
GRID	490060	3	5.1630	60.000	-1.0000	3		DATA 1208
GRID	490075	3	5.1630	75.000	-1.0000	3		DATA 1209
GRID	490090	3	5.1630	90.000	-1.0000	3		DATA 1210
GRID	490105	3	5.1630	105.000	-1.0000	3		DATA 1211
GRID	490120	3	5.1630	120.000	-1.0000	3		DATA 1212
GRID	490135	3	5.1630	135.000	-1.0000	3		DATA 1213
GRID	490150	3	5.1630	150.000	-1.0000	3		DATA 1214
GRID	490165	3	5.1630	165.000	-1.0000	3		DATA 1215
GRID	490180	3	5.1630	180.000	-1.0000	3		DATA 1216
								DATA 1217
								DATA 1218
								DATA 1219
								DATA 1220
								DATA 1221
								DATA 1222
								DATA 1223
								DATA 1224
								DATA 1225
								DATA 1226
								DATA 1227
								DATA 1228
								DATA 1229
								DATA 1230
								DATA 1231
								DATA 1232
								DATA 1233
								DATA 1234
								DATA 1235
								DATA 1236
								DATA 1237
								DATA 1238
								DATA 1239
								DATA 1240
								DATA 1241
								DATA 1242

\$ MYTHICAL CENTER POINT AT THETA=0 END OF ELBOW
(EQUIV TO ORIGIN OF COORD SYS 3)

GRID	500500	0	15.0	0.	0.	4	
			ELBOW POINTS				
\$	GRID	500000	1	9.8370	0.000	0.0000	1
\$	GRID	500015	1	10.0129	0.000	1.3363	1
\$	GRID	500030	1	10.5287	0.000	2.5615	1
\$	GRID	500045	1	11.3492	0.000	3.6508	1
\$	GRID	500060	1	12.4185	0.000	4.4713	1
\$	GRID	500075	1	13.6637	0.000	4.9871	1
\$	GRID	500090	1	15.0000	0.000	5.1630	1
\$	GRID	500105	1	16.3363	0.000	4.9871	1
\$	GRID	500120	1	17.5815	0.000	4.4713	1
\$	GRID	500135	1	18.6508	0.000	3.6508	1
\$	GRID	500150	1	19.4713	0.000	2.5815	1
\$	GRID	500165	1	19.9871	0.000	1.3363	1
\$	GRID	500180	1	20.1630	0.000	-0.0000	1
\$	GRID	505000	1	9.8370	5.294	0.0000	1
\$	GRID	505015	1	10.0129	5.294	1.3363	1
\$	GRID	505030	1	10.5287	5.294	2.5815	1
\$	GRID	505045	1	11.3492	5.294	3.6508	1
\$	GRID	505060	1	12.4185	5.294	4.4713	1

GRID	505075	1	13.6637	5.294	4.9871	1243
GRID	505090	1	15.0000	5.294	5.1630	DATA 1244
GRID	505105	1	16.3363	5.294	4.9871	DATA 1245
GRID	505120	1	17.5815	5.294	4.4713	DATA 1246
GRID	505135	1	18.6508	5.294	3.6508	DATA 1247
GRID	505150	1	19.4713	5.294	2.5615	DATA 1248
GRID	505165	1	19.9971	5.294	1.3363	DATA 1249
GRID	505180	1	20.1630	5.294	-0.0000	DATA 1250
GRID	511000	1	9.8370	10.588	0.0000	DATA 1251
GRID	511015	1	10.0129	10.588	1.3363	DATA 1252
GRID	511030	1	10.5287	10.588	2.5315	DATA 1253
GRID	511045	1	11.3492	10.588	3.6624	DATA 1254
GRID	511060	1	12.4185	10.588	4.4713	DATA 1255
GRID	511075	1	13.6637	10.588	4.9871	DATA 1256
GRID	511090	1	15.0000	10.588	5.1630	DATA 1257
GRID	511105	1	16.3363	10.588	4.9871	DATA 1258
GRID	511120	1	17.5815	10.588	4.4713	DATA 1259
GRID	511135	1	18.6508	10.588	3.6508	DATA 1260
GRID	511150	1	19.4713	10.588	2.5615	DATA 1261
GRID	511165	1	19.9871	10.588	1.3363	DATA 1262
GRID	511180	1	20.1630	10.588	-0.0000	DATA 1263
GRID	516030	1	9.8370	15.882	0.0000	DATA 1264
GRID	516015	1	10.0129	15.882	1.3363	DATA 1265
GRID	516030	1	10.5287	15.882	2.5815	DATA 1266
GRID	516045	1	11.3492	15.882	3.6508	DATA 1267
GRID	516060	1	12.4185	15.882	4.4713	DATA 1268
GRID	516075	1	13.6637	15.882	4.9871	DATA 1269
GRID	516090	1	15.0000	15.882	5.1630	DATA 1270
GRID	516105	1	16.3363	15.882	4.9871	DATA 1271
GRID	516120	1	17.5815	15.882	4.4713	DATA 1272
GRID	516135	1	18.6508	15.882	3.6508	DATA 1273
GRID	516150	1	19.4713	15.882	2.5815	DATA 1274
GRID	516165	1	19.9871	15.882	1.3363	DATA 1275
GRID	516180	1	20.1630	15.882	-0.0000	DATA 1276
GRID	521000	1	9.8370	21.176	0.0000	DATA 1277
GRID	521015	1	10.0129	21.176	1.3363	DATA 1278
GRID	521030	1	10.5287	21.176	2.5615	DATA 1279
GRID	521045	1	11.3492	21.176	3.6508	DATA 1280
GRID	521060	1	12.4185	21.176	4.4713	DATA 1281
GRID	521075	1	13.6637	21.176	4.9871	DATA 1282
GRID	521090	1	15.0000	21.176	5.1630	DATA 1283
GRID	521105	1	16.3363	21.176	4.9871	DATA 1284
GRID	521120	1	17.5815	21.176	4.4713	DATA 1285
GRID	521135	1	18.6508	21.176	3.6508	DATA 1286
GRID	521150	1	19.4713	21.176	2.5615	DATA 1287
GRID	521165	1	19.9871	21.176	1.3363	DATA 1288
GRID	521180	1	20.1630	21.176	-0.0000	DATA 1289
GRID	526000	1	9.8370	26.471	0.0000	DATA 1290
GRID	526015	1	10.0129	26.471	1.3363	DATA 1291
GRID	526030	1	10.5287	26.471	2.5815	DATA 1292
GRID	526045	1	11.3492	26.471	3.6508	DATA 1293
GRID	526060	1	12.4185	26.471	4.4713	DATA 1294
GRID	526075	1	13.6637	26.471	4.9871	DATA 1295
GRID	526090	1	15.0000	26.471	5.1630	DATA 1296

GRID	526105	16.3363	26.471	4.9671	1	DATA 1257
GRID	526120	17.5815	26.471	4.4713	1	DATA 1258
GRID	526135	18.6508	26.471	3.6508	1	DATA 1259
GRID	526150	19.4713	26.471	2.5615	1	DATA 1300
GRID	526165	19.9871	26.471	1.363	1	DATA 1301
GRID	526180	20.-630	26.471	-0.000	1	DATA 1302
GRID	532000	9.8370	31.765	0.000	1	DATA 1303
GRID	532015	10.0129	31.765	1.3363	1	DATA 1304
GRID	532030	10.5287	31.765	2.5815	1	DATA 1305
GRID	532045	11.3492	31.765	3.6508	1	DATA 1306
GRID	532060	12.4185	31.765	4.4713	1	DATA 1307
GRID	532075	13.6637	31.765	4.9E71	1	DATA 1308
GRID	532090	15.0000	31.765	5.1630	1	DATA 1309
GRID	532105	16.3363	31.765	4.9871	1	DATA 1310
GRID	532120	17.5815	31.765	4.4713	1	DATA 1311
GRID	532135	18.6508	31.765	3.6508	1	DATA 1312
GRID	532150	19.4713	31.765	2.5615	1	DATA 1313
GRID	532165	19.9871	31.765	1.3363	1	DATA 1314
GRID	532180	20.1630	31.765	-0.000	1	DATA 1315
GRID	537000	9.8370	37.059	0.000	1	DATA 1316
GRID	537015	10.0129	37.059	1.3353	1	DATA 1317
GRID	537030	10.5287	37.059	2.5615	1	DATA 1318
GRID	537045	11.3492	37.059	3.6508	1	DATA 1319
GRID	537060	12.4185	37.059	4.4713	1	DATA 1320
GRID	537075	13.6637	37.059	4.9671	1	DATA 1321
GRID	537090	15.0000	37.059	5.1E30	1	DATA 1322
GRID	537105	16.3363	37.059	4.5E71	1	DATA 1323
GRID	537120	17.5815	37.059	4.4713	1	DATA 1324
GRID	537135	18.6508	37.059	3.6508	1	DATA 1325
GRID	537150	19.4713	37.059	2.5615	1	DATA 1326
GRID	537165	19.9871	37.059	1.3353	1	DATA 1327
GRID	537180	20.1630	37.059	-0.000	1	DATA 1328
GRID	542000	9.8370	42.353	0.000	1	DATA 1329
GRID	542015	10.0129	42.353	1.3363	1	DATA 1330
GRID	542030	10.5287	42.353	2.5615	1	DATA 1331
GRID	542045	11.3492	42.353	3.6508	1	DATA 1332
GRID	542060	12.4185	42.353	4.4713	1	DATA 1333
GRID	542075	13.6637	42.353	4.9671	1	DATA 1334
GRID	542090	15.0000	42.353	5.1E30	1	DATA 1335
GRID	542105	16.3363	42.353	4.9671	1	DATA 1336
GRID	542120	17.5815	42.353	4.4713	1	DATA 1337
GRID	542135	18.6508	42.353	3.6508	1	DATA 1338
GRID	542150	19.4713	42.353	2.5815	1	DATA 1339
GRID	542165	19.9871	42.353	1.3363	1	DATA 1340
GRID	542180	20.1630	42.353	-0.000	1	DATA 1341
GRID	548000	9.8370	47.647	0.000	1	DATA 1342
GRID	548015	10.0129	47.647	1.3363	1	DATA 1343
GRID	548030	10.5287	47.647	2.5815	1	DATA 1344
GRID	548045	11.3492	47.647	3.6508	1	DATA 1345
GRID	548060	12.4185	47.647	4.4713	1	DATA 1346
GRID	548075	13.6637	47.647	4.9671	1	DATA 1347
GRID	548090	15.0000	47.647	5.1E30	1	DATA 1348
GRID	548105	16.3363	47.647	4.9871	1	DATA 1349
GRID	548120	17.5815	47.647	4.4713	1	DATA 1350

GRID	548135	1	18.6508	47.647	3.6508	DATA 1351
GRID	548150	1	19.4713	47.647	2.5015	DATA 1352
GRID	548165	1	19.9871	47.647	1.3363	DATA 1353
GRID	548180	1	20.1630	47.647	-0.0000	DATA 1354
GRID	553000	1	9.8370	52.941	0.0000	DATA 1355
GRID	553015	1	10.0129	52.941	1.3363	DATA 1356
GRID	553030	1	10.5287	52.941	2.5615	DATA 1357
GRID	553045	1	11.3492	52.941	3.6508	DATA 1358
GRID	553060	1	12.4185	52.941	4.4713	DATA 1359
GRID	553075	1	13.6637	52.941	4.9671	DATA 1360
GRID	553090	1	15.0000	52.941	5.1630	DATA 1361
GRID	553105	1	16.3363	52.941	4.9871	DATA 1362
GRID	553120	1	17.5815	52.941	4.4713	DATA 1363
GRID	553135	1	18.6508	52.941	3.6508	DATA 1364
GRID	553150	1	19.4713	52.941	2.5815	DATA 1365
GRID	553165	1	19.9871	52.941	1.3363	DATA 1366
GRID	553180	1	20.1630	52.941	-0.0000	DATA 1367
GRID	558000	1	9.8370	58.235	0.0000	DATA 1368
GRID	558015	1	10.0129	58.235	1.3363	DATA 1369
GRID	558030	1	10.5287	58.235	2.5815	DATA 1370
GRID	558045	1	11.3492	58.235	3.6508	DATA 1371
GRID	558060	1	12.4185	58.235	4.4713	DATA 1372
GRID	558075	1	13.6637	58.235	4.9871	DATA 1373
GRID	558090	1	15.0000	58.235	5.1630	DATA 1374
GRID	558105	1	16.3363	58.235	4.9871	DATA 1375
GRID	558120	1	17.5815	58.235	4.4713	DATA 1376
GRID	558135	1	18.6508	58.235	3.6508	DATA 1377
GRID	558150	1	19.4713	58.235	2.5815	DATA 1378
GRID	558165	1	19.9871	58.235	1.3363	DATA 1379
GRID	558180	1	20.1630	58.235	-0.0000	DATA 1380
GRID	564000	1	9.8370	63.529	0.0000	DATA 1381
GRID	564015	1	10.0129	63.529	1.3363	DATA 1382
GRID	564030	1	10.5287	63.529	2.5815	DATA 1383
GRID	564045	1	11.3492	63.529	3.6508	DATA 1384
GRID	564060	1	12.4185	63.529	4.4713	DATA 1385
GRID	564075	1	13.6637	63.529	4.9871	DATA 1386
GRID	564090	1	15.0000	63.529	5.1630	DATA 1387
GRID	564105	1	16.3363	63.529	4.9371	DATA 1388
GRID	564120	1	17.5815	63.529	4.4713	DATA 1389
GRID	564135	1	18.6508	63.529	3.6508	DATA 1390
GRID	564150	1	19.4713	63.529	2.5815	DATA 1391
GRID	564165	1	19.9871	63.529	1.3363	DATA 1392
GRID	564180	1	20.1630	63.529	-0.0000	DATA 1393
GRID	569000	1	9.8370	68.824	0.0000	DATA 1394
GRID	569015	1	10.0129	68.824	1.3363	DATA 1395
GRID	569030	1	10.5287	68.824	2.5815	DATA 1396
GRID	569045	1	11.3492	68.824	3.6508	DATA 1397
GRID	569060	1	12.4185	68.824	4.4713	DATA 1398
GRID	569075	1	13.6637	68.824	4.9871	DATA 1399
GRID	569090	1	15.0000	68.824	5.1630	DATA 1400
GRID	569105	1	16.3363	68.824	4.9871	DATA 1401
GRID	569120	1	17.5815	68.824	4.4713	DATA 1402
GRID	569135	1	18.6508	68.824	3.6508	DATA 1403
GRID	569150	1	19.4713	68.824	2.5815	DATA 1404

569165	19.9871	68.824	1.3363
GRID	20.1630	68.824	-0.0000
GRID	9.8370	74.118	0.0000
GRID	10.0129	74.118	1.3363
GRID	10.5287	74.118	2.5815
GRID	11.3492	74.118	3.6508
GRID	12.4185	74.118	4.4713
GRID	13.6637	74.118	4.9871
GRID	15.0000	74.118	5.1630
GRID	16.3363	74.118	4.9871
GRID	17.5815	74.118	4.4713
GRID	18.6508	74.118	3.6508
GRID	19.4713	74.118	2.5815
GRID	19.9871	74.118	1.3363
GRID	20.1630	74.118	-0.0000
GRID	9.8370	79.412	0.0000
GRID	10.0129	79.412	1.3363
GRID	10.5287	79.412	2.5815
GRID	11.3492	79.412	3.6508
GRID	12.4185	79.412	4.4713
GRID	13.6637	79.412	4.9871
GRID	15.0000	79.412	5.1630
GRID	16.3363	79.412	4.9871
GRID	17.5815	79.412	4.4713
GRID	18.6508	79.412	3.6508
GRID	19.4713	79.412	2.5815
GRID	19.9871	79.412	1.3363
GRID	20.1630	79.412	-0.0000
GRID	9.8370	79.412	0.0000
GRID	10.0129	79.412	1.3363
GRID	10.5287	79.412	2.5815
GRID	11.3492	79.412	3.6508
GRID	12.4185	79.412	4.4713
GRID	13.6637	79.412	4.9871
GRID	15.0000	79.412	5.1630
GRID	16.3363	79.412	4.9871
GRID	17.5815	79.412	4.4713
GRID	18.6508	79.412	3.6508
GRID	19.4713	79.412	2.5815
GRID	19.9871	79.412	1.3363
GRID	20.1630	79.412	-0.0000
GRID	9.8370	84.706	0.0000
GRID	10.0129	80.000	1.3363
GRID	10.5287	80.000	2.5815
GRID	11.3492	80.000	3.6508
GRID	12.4185	80.000	4.4713
GRID	13.6637	80.000	4.9871
GRID	15.0000	80.000	5.1630
GRID	16.3363	80.000	4.9871
GRID	17.5815	80.000	4.4713
GRID	18.6508	80.000	3.6508
GRID	19.4713	80.000	2.5815
GRID	19.9871	80.000	1.3363
GRID	20.1630	80.000	-0.0000

\$ MYTHICAL CENTER POINT AT THETA=90 END OF ELBOW
 \$ (EQUIV TO ORIGIN OF COORD SYS 2)
 \$ GRID 590500 0. 15. 0. 4
 \$ STRAIGHT SECTION BELOW THETA=90
 \$
 GRID 600000 2. 5.1630 0.000 1.0000 2
 GRID 600015 2. 5.1630 15.000 1.0000 2
 GRID 600030 2. 5.1630 30.000 1.0000 2
 GRID 600045 2. 5.1630 45.000 1.0000 2
 GRID 600060 2. 5.1630 60.000 1.0000 2
 GRID 600075 2. 5.1630 75.000 1.0000 2
 GRID 600090 2. 5.1630 90.000 1.0000 2
 GRID 600105 2. 5.1630 105.000 1.0000 2
 GRID 600120 2. 5.1630 120.000 1.0000 2
 GRID 600135 2. 5.1630 135.000 1.0000 2
 GRID 600150 2. 5.1630 150.000 1.0000 2
 GRID 600165 2. 5.1630 165.000 1.0000 2
 GRID 600180 2. 5.1630 180.000 1.0000 2
 GRID 610000 2. 5.1630 0.000 2.5000 2
 GRID 610015 2. 5.1630 15.000 2.5000 2
 GRID 610030 2. 5.1630 30.000 2.5000 2
 GRID 610045 2. 5.1630 45.000 2.5000 2
 GRID 610060 2. 5.1630 60.000 2.5000 2
 GRID 610075 2. 5.1630 75.000 2.5000 2
 GRID 610090 2. 5.1630 90.000 2.5000 2
 GRID 610105 2. 5.1630 105.000 2.5000 2
 GRID 610120 2. 5.1630 120.000 2.5000 2
 GRID 610135 2. 5.1630 135.000 2.5000 2
 GRID 610150 2. 5.1630 150.000 2.5000 2
 GRID 610165 2. 5.1630 165.000 2.5000 2
 GRID 610180 2. 5.1630 180.000 2.5000 2
 GRID 620000 2. 5.1630 0.000 4.5000 2
 GRID 620015 2. 5.1630 15.000 4.5000 2
 GRID 620030 2. 5.1630 30.000 4.5000 2
 GRID 620045 2. 5.1630 45.000 4.5000 2
 GRID 620060 2. 5.1630 60.000 4.5000 2
 GRID 620075 2. 5.1630 75.000 4.5000 2
 GRID 620090 2. 5.1630 90.000 4.5000 2
 GRID 620105 2. 5.1630 105.000 4.5000 2
 GRID 620120 2. 5.1630 120.000 4.5000 2
 GRID 620135 2. 5.1630 135.000 4.5000 2
 GRID 620150 2. 5.1630 150.000 4.5000 2
 GRID 620165 2. 5.1630 165.000 4.5000 2
 GRID 620180 2. 5.1630 180.000 4.5000 2
 GRID 630000 2. 5.1630 0.000 6.5000 2
 GRID 630015 2. 5.1630 15.000 6.5000 2
 GRID 630030 2. 5.1630 30.000 6.5000 2
 GRID 630045 2. 5.1630 45.000 6.5000 2
 GRID 630060 2. 5.1630 60.000 6.5000 2
 GRID 630075 2. 5.1630 75.000 6.5000 2
 GRID 630090 2. 5.1630 90.000 6.5000 2
 GRID 630105 2. 5.1630 105.000 6.5000 2

GRID	630120	2	5.1630	120.000	6.5000	DATA 1513
GRID	630135	2	5.1630	135.000	6.5000	DATA 1514
GRID	630150	2	5.1630	150.000	6.5000	DATA 1515
GRID	630165	2	5.1630	165.000	6.5000	DATA 1516
GRID	630180	2	5.1630	180.000	6.5000	DATA 1517
GRID	640000	2	5.1630	0.000	8.5000	DATA 1518
GRID	640015	2	5.1630	15.000	8.5000	DATA 1519
GRID	640030	2	5.1630	30.000	8.5000	DATA 1520
GRID	640045	2	5.1630	45.000	8.5000	DATA 1521
GRID	640060	2	5.1630	60.000	8.5000	DATA 1522
GRID	640075	2	5.1630	75.000	8.5000	DATA 1523
GRID	640090	2	5.1630	90.000	8.5000	DATA 1524
GRID	640105	2	5.1630	105.000	8.5000	DATA 1525
GRID	640120	2	5.1630	120.000	8.5000	DATA 1526
GRID	640135	2	5.1630	135.000	8.5000	DATA 1527
GRID	640150	2	5.1630	150.000	8.5000	DATA 1528
GRID	640165	2	5.1630	165.000	8.5000	DATA 1529
GRID	640180	2	5.1630	180.000	8.5000	DATA 1530
GRID	650000	2	5.1630	0.000	10.5000	DATA 1531
GRID	650015	2	5.1630	15.000	10.5000	DATA 1532
GRID	650030	2	5.1630	30.000	10.5000	DATA 1533
GRID	650045	2	5.1630	45.000	10.5000	DATA 1534
GRID	650060	2	5.1630	60.000	10.5000	DATA 1535
GRID	650075	2	5.1630	75.000	10.5000	DATA 1536
GRID	650090	2	5.1630	90.000	10.5000	DATA 1537
GRID	650105	2	5.1630	105.000	10.5000	DATA 1538
GRID	650120	2	5.1630	120.000	10.5000	DATA 1539
GRID	650135	2	5.1630	135.000	10.5000	DATA 1540
GRID	650150	2	5.1630	150.000	10.5000	DATA 1541
GRID	650165	2	5.1630	165.000	10.5000	DATA 1542
GRID	650180	2	5.1630	180.000	10.5000	DATA 1543
GRID	660000	2	5.1630	0.000	12.5000	DATA 1544
GRID	660015	2	5.1630	15.000	12.5000	DATA 1545
GRID	660030	2	5.1630	30.000	12.5000	DATA 1546
GRID	660045	2	5.1630	45.000	12.5000	DATA 1547
GRID	660060	2	5.1630	60.000	12.5000	DATA 1548
GRID	660075	2	5.1630	75.000	12.5000	DATA 1549
GRID	660090	2	5.1630	90.000	12.5000	DATA 1550
GRID	660105	2	5.1630	105.000	12.5000	DATA 1551
GRID	660120	2	5.1630	120.000	12.5000	DATA 1552
GRID	660135	2	5.1630	135.000	12.5000	DATA 1553
GRID	660150	2	5.1630	150.000	12.5000	DATA 1554
GRID	660165	2	5.1630	165.000	12.5000	DATA 1555
GRID	660180	2	5.1630	180.000	12.5000	DATA 1556
GRID	670000	2	5.1630	0.000	14.5000	DATA 1557
GRID	670015	2	5.1630	15.000	14.5000	DATA 1558
GRID	670030	2	5.1630	30.000	14.5000	DATA 1559
GRID	670045	2	5.1630	45.000	14.5000	DATA 1560
GRID	670060	2	5.1630	60.000	14.5000	DATA 1561
GRID	670075	2	5.1630	75.000	14.5000	DATA 1562
GRID	670090	2	5.1630	90.000	14.5000	DATA 1563
GRID	670105	2	5.1630	105.000	14.5000	DATA 1564
GRID	670120	2	5.1630	120.000	14.5000	DATA 1565
GRID	670135	2	5.1630	135.000	14.5000	DATA 1566

GRID	670150	5.1630	150.000	14.5000		DATA 1567
GRID	670165	5.1630	165.000	14.5000		DATA 1568
GRID	670180	2.2	5.1630	180.000	14.5000	DATA 1569
GRID	680000	2.2	5.1630	0.000	16.5000	DATA 1570
GRID	680015	2.2	5.1630	15.000	16.5000	DATA 1571
GRID	680030	2.2	5.1630	30.000	16.5000	DATA 1572
GRID	680045	2.2	5.1630	45.000	16.5000	DATA 1573
GRID	68C060	2.2	5.1630	60.000	16.5000	DATA 1574
GRID	68C075	2.2	5.1630	75.000	16.5000	DATA 1575
GRID	68C090	2.2	5.1630	90.000	16.5000	DATA 1576
GRID	680105	2.2	5.1630	105.000	16.5000	DATA 1577
GRID	680120	2.2	5.1630	120.000	16.5000	DATA 1578
GRID	680135	2.2	5.1630	135.000	16.5000	DATA 1579
GRID	6d0150	2.2	5.1630	150.000	16.5000	DATA 1580
GRID	680165	2.2	5.1630	165.000	16.5000	DATA 1581
GRID	6BC180	2.2	5.1630	180.000	16.5000	DATA 1582
GRID	690000	2.2	5.1630	0.000	18.5000	DATA 1583
GRID	690015	2.2	5.1630	5.000	18.5000	DATA 1584
GRID	690030	2.2	5.1630	30.000	18.5000	DATA 1585
GRID	690045	2.2	5.1630	45.000	18.5000	DATA 1586
GRID	650060	2.2	5.1630	60.000	18.5000	DATA 1587
GRID	690075	2.2	5.1630	75.000	18.5000	DATA 1588
GRID	690090	2.2	5.1630	90.000	18.5000	DATA 1589
GRID	690105	2.2	5.1630	105.000	18.5000	DATA 1590
GRID	690120	2.2	5.1630	120.000	18.5000	DATA 1591
GRID	690135	2.2	5.1630	135.000	18.5000	DATA 1592
GRID	690150	2.2	5.1630	150.000	18.5000	DATA 1593
GRID	690165	2.2	5.1630	165.000	18.5000	DATA 1594
GRID	690180	2.2	5.1630	180.000	18.5000	DATA 1595
GRID	700000	2.2	5.1630	0.000	20.5000	DATA 1596
GRID	700015	2.2	5.1630	15.000	20.5000	DATA 1597
GRID	700030	2.2	5.1630	30.000	20.5000	DATA 1598
GRID	700045	2.2	5.1630	45.000	20.5000	DATA 1599
GRID	700060	2.2	5.1630	60.000	20.5000	DATA 1600
GRID	700075	2.2	5.1630	75.000	20.5000	DATA 1601
GRID	700090	2.2	5.1630	90.000	20.5000	DATA 1602
GRID	700105	2.2	5.1630	105.000	20.5000	DATA 1603
GRID	700120	2.2	5.1630	120.000	20.5000	DATA 1604
GRID	700135	2.2	5.1630	135.000	20.5000	DATA 1605
GRID	700150	2.2	5.1630	150.000	20.5000	DATA 1606
GRID	700165	2.2	5.1630	165.000	20.5000	DATA 1607
GRID	700180	2.2	5.1630	180.000	20.5000	DATA 1608
\$	MAT1	45	2.9+7	0.3	7.324-4	STEEL
\$	BENDING MOMENTS APPLIED AT FREE END					
\$	MOMENT	22	200500	0	0.50	0.
\$	MOMENT	23	200500	0	0.50	1.
\$	MOMENT	24	200500	0	0.50	0.
\$	PBAR	201	45	1.0-6	1.0-9	1.0-9
\$	PBAR	202	45	2.0-6	2.0-9	2.0-9
\$						4.0-9
\$						DATA 1619
\$						DATA 1620

INTERNAL PRESSURE LOADING FOR PIPE

\$	PLOAD2	21	-1.000	390000		DATA 1621
	PLOAD2	21	-1.000	390015		DATA 1622
	PLOAD2	21	-1.000	390030		DATA 1623
	PLOAD2	21	-1.000	390045		DATA 1624
	PLOAD2	21	-1.000	390060		DATA 1625
	PLOAD2	21	-1.000	390075		DATA 1626
	PLOAD2	21	-1.000	390090		DATA 1627
	PLOAD2	21	-1.000	390105		DATA 1628
	PLOAD2	21	-1.000	390120		DATA 1629
	PLOAD2	21	-1.000	390135		DATA 1630
	PLOAD2	21	-1.000	390150		DATA 1631
	PLOAD2	21	-1.000	390165		DATA 1632
	PLOAD2	21	-1.000	400000		DATA 1633
	PLOAD2	21	-1.000	400015		DATA 1634
	PLOAD2	21	-1.000	400030		DATA 1635
	PLOAD2	21	-1.000	400045		DATA 1636
	PLOAD2	21	-1.000	400060		DATA 1637
	PLOAD2	21	-1.000	400075		DATA 1638
	PLOAD2	21	-1.000	400090		DATA 1639
	PLOAD2	21	-1.000	400105		DATA 1640
	PLOAD2	21	-1.000	400120		DATA 1641
	PLOAD2	21	-1.000	400135		DATA 1642
	PLOAD2	21	-1.000	400150		DATA 1643
	PLOAD2	21	-1.000	400165		DATA 1644
	PLOAD2	21	-1.000	400180		DATA 1645
	PLOAD2	21	-1.000	400195		DATA 1646
	PLOAD2	21	-1.000	410000		DATA 1647
	PLOAD2	21	-1.000	410015		DATA 1648
	PLOAD2	21	-1.000	410030		DATA 1649
	PLOAD2	21	-1.000	410045		DATA 1650
	PLOAD2	21	-1.000	410060		DATA 1651
	PLOAD2	21	-1.000	410075		DATA 1652
	PLOAD2	21	-1.000	410090		DATA 1653
	PLOAD2	21	-1.000	410105		DATA 1654
	PLOAD2	21	-1.000	410120		DATA 1655
	PLOAD2	21	-1.000	410135		DATA 1656
	PLOAD2	21	-1.000	410150		DATA 1657
	PLOAD2	21	-1.000	410165		DATA 1658
	PLOAD2	21	-1.000	420000		DATA 1659
	PLOAD2	21	-1.000	420015		DATA 1660
	PLOAD2	21	-1.000	420030		DATA 1661
	PLOAD2	21	-1.000	420045		DATA 1662
	PLOAD2	21	-1.000	420060		DATA 1663
	PLOAD2	21	-1.000	420075		DATA 1664
	PLOAD2	21	-1.000	420090		DATA 1665
	PLOAD2	21	-1.000	420105		DATA 1666
	PLOAD2	21	-1.000	420120		DATA 1667
	PLOAD2	21	-1.000	420135		DATA 1668
	PLOAD2	21	-1.000	420150		DATA 1669
	PLOAD2	21	-1.000	420165		DATA 1670
	PLOAD2	21	-1.000	430000		DATA 1671
	PLOAD2	21	-1.000	430015		DATA 1672
	PLOAD2	21	-1.000	430030		DATA 1673
	PLOAD2	21	-1.000	430045		DATA 1674

PLOAD2	21	-1.000	430060	DATA 1675
PLOAD2	21	-1.000	430075	DATA 1676
PLOAD2	21	-1.000	430090	DATA 1677
PLOAD2	21	-1.000	430105	DATA 1678
PLOAD2	21	-1.000	430120	DATA 1679
PLOAD2	21	-1.000	430135	DATA 1680
PLOAD2	21	-1.000	430150	DATA 1681
PLOAD2	21	-1.000	430165	DATA 1682
PLOAD2	21	-1.000	440000	DATA 1683
PLOAD2	21	-1.000	440015	DATA 1684
PLOAD2	21	-1.000	440030	DATA 1685
PLOAD2	21	-1.000	440045	DATA 1686
PLOAD2	21	-1.000	440060	DATA 1687
PLOAD2	21	-1.000	440075	DATA 1688
PLOAD2	21	-1.000	440090	DATA 1689
PLOAD2	21	-1.000	440105	DATA 1690
PLOAD2	21	-1.000	440120	DATA 1691
PLOAD2	21	-1.000	440135	DATA 1692
PLOAD2	21	-1.000	440150	DATA 1693
PLOAD2	21	-1.000	440165	DATA 1694
PLOAD2	21	-1.000	450000	DATA 1695
PLOAD2	21	-1.000	450015	DATA 1696
PLOAD2	21	-1.000	450030	DATA 1697
PLOAD2	21	-1.000	450045	DATA 1698
PLOAD2	21	-1.000	450060	DATA 1699
PLOAD2	21	-1.000	450075	DATA 1700
PLOAD2	21	-1.000	450090	DATA 1701
PLOAD2	21	-1.000	450105	DATA 1702
PLOAD2	21	-1.000	450120	DATA 1703
PLOAD2	21	-1.000	450135	DATA 1704
PLOAD2	21	-1.000	450150	DATA 1705
PLOAD2	21	-1.000	450165	DATA 1706
PLOAD2	21	-1.000	460000	DATA 1707
PLOAD2	21	-1.000	460015	DATA 1708
PLOAD2	21	-1.000	460030	DATA 1709
PLOAD2	21	-1.000	460045	DATA 1710
PLOAD2	21	-1.000	460050	DATA 1711
PLOAD2	21	-1.000	460075	DATA 1712
PLOAD2	21	-1.000	460090	DATA 1713
PLOAD2	21	-1.000	460105	DATA 1714
PLOAD2	21	-1.000	460120	DATA 1720
PLOAD2	21	-1.000	460135	DATA 1721
PLOAD2	21	-1.000	460150	DATA 1722
PLOAD2	21	-1.000	460165	DATA 1723
PLOAD2	21	-1.000	470000	DATA 1724
PLOAD2	21	-1.000	470015	DATA 1725
PLOAD2	21	-1.000	470090	DATA 1726
PLOAD2	21	-1.000	470105	DATA 1727
PLOAD2	21	-1.000	470120	DATA 1728
PLOAD2	21	-1.000	470135	

PLOAD2		DATA 1729
PLOAD2	21 -1.000	470150
PLOAD2	21 -1.000	470165
PLOAD2	21 -1.000	480000
PLOAD2	21 -1.000	480015
PLOAD2	21 -1.000	480030
PLOAD2	21 -1.000	480045
PLOAD2	21 -1.000	480060
PLOAD2	21 -1.000	480075
PLOAD2	21 -1.000	481165
PLOAD2	21 -1.000	480090
PLOAD2	21 -1.000	480105
PLOAD2	21 -1.000	480120
PLOAD2	21 -1.000	480135
PLOAD2	21 -1.000	490030
PLOAD2	21 -1.000	490045
PLOAD2	21 -1.000	490060
PLOAD2	21 -1.000	490075
PLOAD2	21 -1.000	490090
PLOAD2	21 -1.000	490105
PLOAD2	21 -1.000	490120
PLOAD2	21 -1.000	490135
PLOAD2	21 -1.000	490150
PLOAD2	21 -1.000	490165
PLOAD2	21 -1.000	503008
PLOAD2	21 -1.000	503023
PLOAD2	21 -1.000	503038
PLOAD2	21 -1.000	503053
PLOAD2	21 -1.000	503068
PLOAD2	21 -1.000	503083
PLOAD2	21 -1.000	503098
PLOAD2	21 -1.000	503113
PLOAD2	21 -1.000	503128
PLOAD2	21 -1.000	503143
PLOAD2	21 -1.000	503158
PLOAD2	21 -1.000	503173
PLOAD2	21 -1.000	508008
PLOAD2	21 -1.000	508023
PLOAD2	21 -1.000	508038
PLOAD2	21 -1.000	508053
PLOAD2	21 -1.000	508068
PLOAD2	21 -1.000	508063
PLOAD2	21 -1.000	508158
PLOAD2	21 -1.000	508173
PLOAD2	21 -1.000	513008
PLOAD2	21 -1.000	513023
PLOAD2	21 -1.000	513038
PLOAD2	21 -1.000	513053

PLOAD2	21	-1.000	513069	DATA 1783
PLOAD2	21	-1.000	513083	DATA 1784
PLOAD2	21	-1.000	513098	DATA 1785
PLOAD2	21	-1.000	513113	DATA 1786
PLOAD2	21	-1.000	513128	DATA 1787
PLOAD2	21	-1.000	513143	DATA 1788
PLOAD2	21	-1.000	513158	DATA 1789
PLOAD2	21	-1.000	513173	DATA 1790
PLOAD2	21	-1.000	519008	DATA 1791
PLOAD2	21	-1.000	519023	DATA 1792
PLOAD2	21	-1.000	519038	DATA 1793
PLOAD2	21	-1.000	519053	DATA 1794
PLOAD2	21	-1.000	519068	DATA 1795
PLOAD2	21	-1.000	519083	DATA 1796
PLOAD2	21	-1.000	519108	DATA 1797
PLOAD2	21	-1.000	519123	DATA 1798
PLOAD2	21	-1.000	519143	DATA 1799
PLOAD2	21	-1.000	519158	DATA 1800
PLOAD2	21	-1.000	519173	DATA 1801
PLOAD2	21	-1.000	524008	DATA 1802
PLOAD2	21	-1.000	524023	DATA 1803
PLOAD2	21	-1.000	524038	DATA 1804
PLOAD2	21	-1.000	524053	DATA 1805
PLOAD2	21	-1.000	524068	DATA 1806
PLOAD2	21	-1.000	524083	DATA 1807
PLOAD2	21	-1.000	524098	DATA 1808
PLOAD2	21	-1.000	524113	DATA 1809
PLOAD2	21	-1.000	524128	DATA 1810
PLOAD2	21	-1.000	524143	DATA 1811
PLOAD2	21	-1.000	524158	DATA 1812
PLOAD2	21	-1.000	524173	DATA 1813
PLOAD2	21	-1.000	529008	DATA 1814
PLOAD2	21	-1.000	529023	DATA 1815
PLOAD2	21	-1.000	529038	DATA 1816
PLOAD2	21	-1.000	529053	DATA 1817
PLOAD2	21	-1.000	529068	DATA 1818
PLOAD2	21	-1.000	529143	DATA 1819
PLOAD2	21	-1.000	529158	DATA 1820
PLOAD2	21	-1.000	529173	DATA 1821
PLOAD2	21	-1.000	529198	DATA 1822
PLOAD2	21	-1.000	529113	DATA 1823
PLOAD2	21	-1.000	529128	DATA 1824
PLOAD2	21	-1.000	534038	DATA 1825
PLOAD2	21	-1.000	534053	DATA 1826
PLOAD2	21	-1.000	534068	DATA 1827
PLOAD2	21	-1.000	534083	DATA 1828
PLOAD2	21	-1.000	534098	DATA 1829
PLOAD2	21	-1.000	534113	DATA 1830
PLOAD2	21	-1.000	534128	DATA 1831
PLOAD2	21	-1.000	534143	DATA 1832

PLOAD2	21	-1.000	534158	DATA 1837
PLOAD2	21	-1.000	534173	DATA 1838
PLOAD2	21	-1.000	540008	DATA 1839
PLOAD2	21	-1.000	540023	DATA 1840
PLOAD2	21	-1.000	540038	DATA 1841
PLOAD2	21	-1.000	540053	DATA 1842
PLOAD2	21	-1.000	540068	DATA 1843
PLOAD2	21	-1.000	540083	DATA 1844
PLOAD2	21	-1.000	540098	DATA 1845
PLOAD2	21	-1.000	540113	DATA 1846
PLOAD2	21	-1.000	540128	DATA 1847
PLOAD2	21	-1.000	540143	DATA 1848
PLOAD2	21	-1.000	540158	DATA 1849
PLOAD2	21	-1.000	540173	DATA 1850
PLOAD2	21	-1.000	545008	DATA 1851
PLOAD2	21	-1.000	545023	DATA 1852
PLOAD2	21	-1.000	545038	DATA 1853
PLOAD2	21	-1.000	545053	DATA 1854
PLOAD2	21	-1.000	545068	DATA 1855
PLOAD2	21	-1.000	545083	DATA 1856
PLOAD2	21	-1.000	545098	DATA 1857
PLOAD2	21	-1.000	545113	DATA 1858
PLOAD2	21	-1.000	545128	DATA 1859
PLOAD2	21	-1.000	545143	DATA 1860
PLOAD2	21	-1.000	545158	DATA 1861
PLOAD2	21	-1.000	545173	DATA 1862
PLOAD2	21	-1.000	550008	DATA 1863
PLOAD2	21	-1.000	550023	DATA 1864
PLOAD2	21	-1.000	550038	DATA 1865
PLOAD2	21	-1.000	550053	DATA 1866
PLOAD2	21	-1.000	550068	DATA 1867
PLOAD2	21	-1.000	550083	DATA 1868
PLOAD2	21	-1.000	550108	DATA 1869
PLOAD2	21	-1.000	550113	DATA 1870
PLOAD2	21	-1.000	550128	DATA 1871
PLOAD2	21	-1.000	550143	DATA 1872
PLOAD2	21	-1.000	550158	DATA 1873
PLOAD2	21	-1.000	550173	DATA 1874
PLOAD2	21	-1.000	556008	DATA 1875
PLOAD2	21	-1.000	556023	DATA 1876
PLOAD2	21	-1.000	556038	DATA 1877
PLOAD2	21	-1.000	556053	DATA 1878
PLOAD2	21	-1.000	556068	DATA 1879
PLOAD2	21	-1.000	556083	DATA 1880
PLOAD2	21	-1.000	556098	DATA 1881
PLOAD2	21	-1.000	556113	DATA 1882
PLOAD2	21	-1.000	556128	DATA 1883
PLOAD2	21	-1.000	556143	DATA 1884
PLOAD2	21	-1.000	556158	DATA 1885
PLOAD2	21	-1.000	556173	DATA 1886
PLOAD2	21	-1.000	561008	DATA 1887
PLOAD2	21	-1.000	561023	DATA 1888
PLOAD2	21	-1.000	561038	DATA 1889
PLOAD2	21	-1.000	561053	DATA 1890

PLOAD2	21	-1.000	561068	DATA 1891
PLOAD2	21	-1.000	561083	DATA 1892
PLOAD2	21	-1.000	561098	DATA 1893
PLOAD2	21	-1.000	561113	DATA 1894
PLOAD2	21	-1.000	561128	DATA 1895
PLOAD2	21	-1.000	561143	DATA 1896
PLOAD2	21	-1.000	561158	DATA 1897
PLOAD2	21	-1.000	561173	DATA 1898
PLOAD2	21	-1.000	566C08	DATA 1899
PLOAD2	21	-1.000	566023	DATA 1900
PLOAD2	21	-1.000	566036	DATA 1901
PLOAD2	21	-1.000	566053	DATA 1902
PLOAD2	21	-1.000	566068	DATA 1903
PLOAD2	21	-1.000	566083	DATA 1904
PLOAD2	21	-1.000	566098	DATA 1905
PLOAD2	21	-1.000	566113	DATA 1906
PLOAD2	21	-1.000	566128	DATA 1907
PLOAD2	21	-1.000	566143	DATA 1908
PLOAD2	21	-1.000	566158	DATA 1909
PLOAD2	21	-1.000	566173	DATA 1910
PLOAD2	21	-1.000	571008	DATA 1911
PLOAD2	21	-1.000	571023	DATA 1912
PLOAD2	21	-1.000	571038	DATA 1913
PLOAD2	21	-1.000	571053	DATA 1914
PLOAD2	21	-1.000	571068	DATA 1915
PLOAD2	21	-1.000	571083	DATA 1916
PLOAD2	21	-1.000	571098	DATA 1917
PLOAD2	21	-1.000	571113	DATA 1918
PLOAD2	21	-1.000	571128	DATA 1919
PLOAD2	21	-1.000	571143	DATA 1920
PLOAD2	21	-1.000	571158	DATA 1921
PLOAD2	21	-1.000	571173	DATA 1922
PLOAD2	21	-1.000	577008	DATA 1923
PLOAD2	21	-1.000	577023	DATA 1924
PLOAD2	21	-1.000	577038	DATA 1925
PLOAD2	21	-1.000	577053	DATA 1926
PLOAD2	21	-1.000	577068	DATA 1927
PLOAD2	21	-1.000	577083	DATA 1928
PLOAD2	21	-1.000	577098	DATA 1929
PLOAD2	21	-1.000	577113	DATA 1930
PLOAD2	21	-1.000	577128	DATA 1931
PLOAD2	21	-1.000	577143	DATA 1932
PLOAD2	21	-1.000	582053	DATA 1933
PLOAD2	21	-1.000	582068	DATA 1934
PLOAD2	21	-1.000	582083	DATA 1935
PLOAD2	21	-1.000	582098	DATA 1940
PLOAD2	21	-1.000	582113	DATA 1941
PLOAD2	21	-1.000	582128	DATA 1942
PLOAD2	21	-1.000	582143	DATA 1943
PLOAD2	21	-1.000	582144	DATA 1944

2	-1.000	582158	DATA 1945
2	-1.000	582173	DATA 1946
2	-1.000	587008	DATA 1947
2	-1.000	587023	DATA 1948
2	-1.000	587038	DATA 1949
2	-1.000	587053	DATA 1950
2	-1.000	587068	DATA 1951
2	-1.000	587083	DATA 1952
2	-1.000	587098	DATA 1953
2	-1.000	587113	DATA 1954
2	-1.000	587128	DATA 1955
2	-1.000	587143	DATA 1956
2	-1.000	587158	DATA 1957
2	-1.000	587173	DATA 1958
2	-1.000	590000	DATA 1959
2	-1.000	590015	DATA 1960
2	-1.000	590030	DATA 1961
2	-1.000	590045	DATA 1962
2	-1.000	590060	DATA 1963
2	-1.000	590075	DATA 1964
2	-1.000	590090	DATA 1965
2	-1.000	590105	DATA 1966
2	-1.000	590120	DATA 1967
2	-1.000	590135	DATA 1968
2	-1.000	590150	DATA 1969
2	-1.000	590165	DATA 1970
2	-1.000	600000	DATA 1971
2	-1.000	600015	DATA 1972
2	-1.000	600030	DATA 1973
2	-1.000	600045	DATA 1974
2	-1.000	600060	DATA 1975
2	-1.000	600075	DATA 1976
2	-1.000	600090	DATA 1977
2	-1.000	600105	DATA 1978
2	-1.000	600120	DATA 1979
2	-1.000	600135	DATA 1980
2	-1.000	600150	DATA 1981
2	-1.000	600165	DATA 1982
2	-1.000	610000	DATA 1983
2	-1.000	610015	DATA 1984
2	-1.000	610030	DATA 1985
2	-1.000	610045	DATA 1986
2	-1.000	610060	DATA 1987
2	-1.000	610075	DATA 1988
2	-1.000	610090	DATA 1989
2	-1.000	610105	DATA 1990
2	-1.000	610120	DATA 1991
2	-1.000	610135	DATA 1992
2	-1.000	610150	DATA 1993
2	-1.000	610165	DATA 1994
2	-1.000	620000	DATA 1995
2	-1.000	620015	DATA 1996
2	-1.000	620030	DATA 1997
2	-1.000	620045	DATA 1998

			DATA	1999
PLQAD2	21	-1.000	620060	DATA
PLQAD2	21	-1.000	620075	DATA
PLQAD2	21	-1.000	620090	DATA
PLQAD2	21	-1.000	620105	DATA
PLQAD2	21	-1.000	620120	DATA
PLQAD2	21	-1.000	620135	DATA
PLQAD2	21	-1.000	620150	DATA
PLQAD2	21	-1.000	620165	DATA
PLQAD2	21	-1.000	630090	DATA
PLQAD2	21	-1.000	630095	DATA
PLQAD2	21	-1.000	630030	DATA
PLQAD2	21	-1.000	630120	DATA
PLQAD2	21	-1.000	630045	DATA
PLQAD2	21	-1.000	630060	DATA
PLQAD2	21	-1.000	630075	DATA
PLQAD2	21	-1.000	630090	DATA
PLQAD2	21	-1.000	630105	DATA
PLQAD2	21	-1.000	630120	DATA
PLQAD2	21	-1.000	630135	DATA
PLQAD2	21	-1.000	630150	DATA
PLQAD2	21	-1.000	630165	DATA
PLQAD2	21	-1.000	640000	DATA
PLQAD2	21	-1.000	640015	DATA
PLQAD2	21	-1.000	640030	DATA
PLQAD2	21	-1.000	640045	DATA
PLQAD2	21	-1.000	640060	DATA
PLQAD2	21	-1.000	640075	DATA
PLQAD2	21	-1.000	640090	DATA
PLQAD2	21	-1.000	640105	DATA
PLQAD2	21	-1.000	640120	DATA
PLQAD2	21	-1.000	640135	DATA
PLQAD2	21	-1.000	640150	DATA
PLQAD2	21	-1.000	640165	DATA
PLQAD2	21	-1.000	650000	DATA
PLQAD2	21	-1.000	650015	DATA
PLQAD2	21	-1.000	650030	DATA
PLQAD2	21	-1.000	650120	DATA
PLQAD2	21	-1.000	650135	DATA
PLQAD2	21	-1.000	650150	DATA
PLQAD2	21	-1.000	650165	DATA
PLQAD2	21	-1.000	660000	DATA
PLQAD2	21	-1.000	660015	DATA
PLQAD2	21	-1.000	660030	DATA
PLQAD2	21	-1.000	660045	DATA
PLQAD2	21	-1.000	660060	DATA
PLQAD2	21	-1.000	660075	DATA
PLQAD2	21	-1.000	660090	DATA
PLQAD2	21	-1.000	660105	DATA
PLQAD2	21	-1.000	660120	DATA
PLQAD2	21	-1.000	660135	DATA

PLOAD2 21 -1.000 660150
 PLOAD2 21 -1.000 660165
 PLOAD2 21 -1.000 670000
 PLOAD2 21 -1.000 670015
 PLOAD2 21 -1.000 670030
 PLOAD2 21 -1.000 670045
 PLOAD2 21 -1.000 670060
 PLOAD2 21 -1.000 670075
 PLOAD2 21 -1.000 670090
 PLOAD2 21 -1.000 670105
 PLOAD2 21 -1.000 670120
 PLOAD2 21 -1.000 670135
 PLOAD2 21 -1.000 670150
 PLOAD2 21 -1.000 670165
 PLOAD2 21 -1.000 680000
 PLOAD2 21 -1.000 680015
 PLOAD2 21 -1.000 680030
 PLOAD2 21 -1.000 680045
 PLOAD2 21 -1.000 680060
 PLOAD2 21 -1.000 680075
 PLOAD2 21 -1.000 680090
 PLOAD2 21 -1.000 680105
 PLOAD2 21 -1.000 680120
 PLOAD2 21 -1.000 680135
 PLOAD2 21 -1.000 680150
 PLOAD2 21 -1.000 680165
 PLOAD2 21 -1.000 690000
 PLOAD2 21 -1.000 690015
 PLOAD2 21 -1.000 690030
 PLOAD2 21 -1.000 690045
 PLOAD2 21 -1.000 690060
 PLOAD2 21 -1.000 690075
 PLOAD2 21 -1.000 690090
 PLOAD2 21 -1.000 690105
 PLOAD2 21 -1.000 690120
 PLOAD2 21 -1.000 690135
 PLOAD2 21 -1.000 690150
 PLOAD2 21 -1.000 690165
 \$ PQUAD2 200 45 0.390
 \$ SPC... (SID=71) SYM B.C. AT MIDPLANE CUTTING PIPE CIRCUM
 \$ SPC 71 200500 345
 \$ SPC 71 400000 246
 \$ SPC 71 400180 246
 \$ SPC 71 410000 246
 \$ SPC 71 410180 246
 \$ SPC 71 420000 246
 \$ SPC 71 420180 246
 \$ SPC 71 430000 246
 \$ SPC 71 430180 246
 \$ SPC 71 440000 246
 \$ SPC 71 440180 246

SPC	71	450000	246	DATA 2107
SPC	71	450180	246	DATA 2108
SPC	71	460000	246	DATA 2109
SPC	71	460180	246	DATA 2110
SPC	71	470000	246	DATA 2111
SPC	71	470180	246	DATA 2112
SPC	71	480000	246	DATA 2113
SPC	71	480180	246	DATA 2114
SPC	71	490000	246	DATA 2115
SPC	71	490180	246	DATA 2116
SPC	71	500500	345	DATA 2117
SPC	71	500000	345	DATA 2118
SPC	71	500180	345	DATA 2119
SPC	71	505000	345	DATA 2120
SPC	71	505180	345	DATA 2121
SPC	71	510000	345	DATA 2122
SPC	71	510180	345	DATA 2123
SPC	71	511800	345	DATA 2124
SPC	71	516000	345	DATA 2125
SPC	71	516180	345	DATA 2126
SPC	71	520000	345	DATA 2127
SPC	71	521180	345	DATA 2128
SPC	71	526000	345	DATA 2129
SPC	71	526180	345	DATA 2130
SPC	71	532000	345	DATA 2131
SPC	71	532180	345	DATA 2132
SPC	71	537000	345	DATA 2133
SPC	71	537180	345	DATA 2134
SPC	71	542000	345	DATA 2135
SPC	71	542180	345	DATA 2136
SPC	71	548000	345	DATA 2137
SPC	71	548180	345	DATA 2138
SPC	71	553000	345	DATA 2139
SPC	71	553180	345	DATA 2140
SPC	71	558000	345	DATA 2141
SPC	71	558180	345	DATA 2142
SPC	71	564000	345	DATA 2143
SPC	71	564180	345	DATA 2144
SPC	71	569000	345	DATA 2145
SPC	71	569180	345	DATA 2146
SPC	71	574000	345	DATA 2147
SPC	71	574180	345	DATA 2148
SPC	71	579000	345	DATA 2149
SPC	71	579180	345	DATA 2150
SPC	71	585000	345	DATA 2151
SPC	71	585180	345	DATA 2152
SPC	71	590000	345	DATA 2153
SPC	71	590180	345	DATA 2154
SPC	71	590500	345	DATA 2155
SPC	71	600000	246	DATA 2156
SPC	71	600180	246	DATA 2157
S ² C	71	610000	246	DATA 2158
SPC	71	610180	246	DATA 2159
SPC	71	620000	246	DATA 2160
SPC	71	620180	246	

				246
SPC	SPC	SPC	SPC	71 630000
SPC	SPC	SPC	SPC	71 640000
SPC	SPC	SPC	SPC	71 640180
SPC	SPC	SPC	SPC	71 650000
SPC	SPC	SPC	SPC	71 650180
SPC	SPC	SPC	SPC	71 660000
SPC	SPC	SPC	SPC	71 660180
SPC	SPC	SPC	SPC	71 670000
SPC	SPC	SPC	SPC	71 670180
SPC	SPC	SPC	SPC	71 680000
SPC	SPC	SPC	SPC	71 680180
SPC	SPC	SPC	SPC	71 690000
SPC	SPC	SPC	SPC	71 690180
SPC	SPC	SPC	SPC	71 700000
SPC	SPC	SPC	SPC	71 700180
\$	(S1D=72)	ANTI-SYM B.C. AT MIDPLANE CUTTING PIPE CIRCUM		
\$	72	200500 126		
SPC	SPC	72 400000	135	
SPC	SPC	72 400180	135	
SPC	SPC	72 410000	135	
SPC	SPC	72 410180	135	
SPC	SPC	72 420000	135	
SPC	SPC	72 420180	135	
SPC	SPC	72 430000	135	
SPC	SPC	72 430180	135	
SPC	SPC	72 440000	135	
SPC	SPC	72 440180	135	
SPC	SPC	72 450000	135	
SPC	SPC	72 450180	135	
SPC	SPC	72 460000	135	
SPC	SPC	72 460180	135	
SPC	SPC	72 470000	135	
SPC	SPC	72 470180	135	
SPC	SPC	72 480000	135	
SPC	SPC	72 480180	135	
SPC	SPC	72 490000	135	
SPC	SPC	72 490180	135	
\$	72	500500 126		
SPC	SPC	72 500000	126	
SPC	SPC	72 500180	126	
SPC	SPC	72 505000	126	
SPC	SPC	72 505180	126	
SPC	SPC	72 511000	126	
SPC	SPC	72 511180	126	
SPC	SPC	72 516000	126	
SPC	SPC	72 516180	126	
SPC	SPC	72 521000	126	
SPC	SPC	72 521180	126	
SPC	SPC	72 526000	126	
SPC	SPC	72 526180	126	
SPC	SPC	72 532000	126	

SPC	72	532180	126	DATA 2215
SPC	72	537000	126	DATA 2216
SPC	72	537180	126	DATA 2217
SPC	72	542000	126	DATA 2218
SPC	72	542180	125	DATA 2219
SPC	72	548000	126	DATA 2220
SPC	72	548180	125	DATA 2221
SPC	72	553000	126	DATA 2222
SPC	72	553180	126	DATA 2223
SPC	72	558000	126	DATA 2224
SPC	72	558180	126	DATA 2225
SPC	72	564000	126	DATA 2226
SPC	72	564180	126	DATA 2227
SPC	72	569000	126	DATA 2228
SPC	72	569180	126	DATA 2229
SPC	72	585000	126	DATA 2230
SPC	72	585180	126	DATA 2231
SPC	72	590000	126	DATA 2232
SPC	72	590180	126	DATA 2233
SPC	72	579180	126	DATA 2234
SPC	72	5855000	126	DATA 2235
SPC	72	574180	126	DATA 2236
SPC	72	579000	126	DATA 2237
SPC	72	5905000	126	DATA 2238
SPC	72	600000	135	DATA 2239
SPC	72	600180	135	DATA 2240
SPC	72	610000	135	DATA 2241
SPC	72	610180	135	DATA 2242
SPC	72	620000	135	DATA 2243
SPC	72	620180	135	DATA 2244
SPC	72	630000	135	DATA 2245
SPC	72	630180	135	DATA 2246
SPC	72	640000	135	DATA 2247
SPC	72	640180	135	DATA 2248
SPC	72	650000	135	DATA 2249
SPC	72	650180	135	DATA 2250
SPC	72	660000	135	DATA 2251
SPC	72	660180	135	DATA 2252
SPC	72	670000	135	DATA 2253
SPC	72	670180	135	DATA 2254
SPC	72	680000	135	DATA 2255
SPC	72	680180	135	DATA 2256
SPC	72	690000	135	DATA 2257
SPC	72	690180	135	DATA 2258
SPC	72	700000	135	DATA 2259
SPC	72	700180	135	DATA 2260
SPC	80	420000	4	DATA 2261
SPC	80	400000	4	DATA 2262
SPC	80	400180	4	DATA 2263
SPC	80	410000	4	DATA 2264
SPC	80	410180	4	DATA 2265
SPC	80	420000	4	DATA 2266
SPC	80	420180	4	DATA 2267
SPC	80	430000	4	DATA 2268

\$ ELIMINATION OF ZERO STIFFNESS DOF

SPC	SPC	420180	4	
SPC	SPC	80	430000	4
SPC	SPC	80	430180	4
SPC	SPC	80	440000	4
SPC	SPC	80	440180	4
SPC	SPC	80	450000	4
SPC	SPC	80	450180	4
SPC	SPC	80	460000	4
SPC	SPC	80	460180	4
SPC	SPC	80	470C00	4
SPC	SPC	80	470180	4
SPC	SPC	80	480000	4
SPC	SPC	80	480180	4
SPC	SPC	80	490000	4
SPC	SPC	80	490180	4
SPC	SPC	80	600000	4
SPC	SPC	80	600180	4
SPC	SPC	80	610000	4
SPC	SPC	80	610180	4
SPC	SPC	80	620000	4
SPC	SPC	80	620180	4
SPC	SPC	80	630000	4
SPC	SPC	80	630180	4
SPC	SPC	80	640000	4
SPC	SPC	80	640180	4
SPC	SPC	80	650000	4
SPC	SPC	80	650180	4
SPC	SPC	80	660000	4
SPC	SPC	80	660180	4
SPC	SPC	80	670000	4
SPC	SPC	80	670180	4
SPC	SPC	80	680000	4
SPC	SPC	80	680180	4
SPC	SPC	80	690000	4
SPC	SPC	80	690180	4
SPC	SPC	80	700000	4
SPC	SPC	80	700180	4
\$	\$			
			CONSTRAIN FIXED END	
\$	\$	85	700000	123456
SPC	SPC	85	700015	123456
SPC	SPC	85	700030	123456
SPC	SPC	85	700045	123456
SPC	SPC	85	700060	123456
SPC	SPC	85	700075	123456
SPC	SPC	85	700090	123456
SPC	SPC	85	700105	123456
SPC	SPC	85	700120	123456
SPC	SPC	85	700135	123456
SPC	SPC	85	700150	123456
SPC	SPC	85	700165	123456
SPC	SPC	85	700180	123456
\$	\$			
DATA	DATA	2269		
DATA	DATA	2270		
DATA	DATA	2271		
DATA	DATA	2272		
DATA	DATA	2273		
DATA	DATA	2274		
DATA	DATA	2275		
DATA	DATA	2276		
DATA	DATA	2277		
DATA	DATA	2278		
DATA	DATA	2279		
DATA	DATA	2280		
DATA	DATA	2281		
DATA	DATA	2282		
DATA	DATA	2283		
DATA	DATA	2284		
DATA	DATA	2285		
DATA	DATA	2286		
DATA	DATA	2287		
DATA	DATA	2288		
DATA	DATA	2289		
DATA	DATA	2290		
DATA	DATA	2291		
DATA	DATA	2292		
DATA	DATA	2293		
DATA	DATA	2294		
DATA	DATA	2295		
DATA	DATA	2296		
DATA	DATA	2297		
DATA	DATA	2298		
DATA	DATA	2299		
DATA	DATA	2300		
DATA	DATA	2301		
DATA	DATA	2302		
DATA	DATA	2303		
DATA	DATA	2304		
DATA	DATA	2305		
DATA	DATA	2306		
DATA	DATA	2307		
DATA	DATA	2308		
DATA	DATA	2309		
DATA	DATA	2310		
DATA	DATA	2311		
DATA	DATA	2312		
DATA	DATA	2313		
DATA	DATA	2314		
DATA	DATA	2315		
DATA	DATA	2316		
DATA	DATA	2317		
DATA	DATA	2318		
DATA	DATA	2319		
DATA	DATA	2320		
DATA	DATA	2321		
DATA	DATA	2322		

SPCADD 91 71 80 85
SPCADD 92 72 80 85
ENDDATA

DATA 2323
DATA 2324
DATA 2325

INITIAL DISTRIBUTION

Copies

11 NAVSEA
 6 SEA 05D12
 1 SEA 05R
 1 SEA 05R14
 2 SEA 0532
 1 SEA 996

12 DDC

CENTER DISTRIBUTION

Copies	Code	Name
1	18	G.H. Gleissner
2	1809.3	D. Harris
1	1840	J.W. Schot
1	1843	H.J. Haussling
5	1843	M.S. Marcus
1	1844	S.K. Dhir
5	1844	G.C. Everstine
1	27	W. Dietz
1	274	L. Argiro
1	2740	Y. Wang
1	2744	D. Allwein
5	2744	L. Kaldor
1	2744	Y.P. Lu
1	522.1	Unclassified Lib (C)
1	522.2	Unclassified Lib (A)

DTNSRDC ISSUES THREE TYPES OF REPORTS

1. DTNSRDC REPORTS, A FORMAL SERIES, CONTAIN INFORMATION OF PERMANENT TECHNICAL VALUE. THEY CARRY A CONSECUTIVE NUMERICAL IDENTIFICATION REGARDLESS OF THEIR CLASSIFICATION OR THE ORIGINATING DEPARTMENT.
2. DEPARTMENTAL REPORTS, A SEMIFORMAL SERIES, CONTAIN INFORMATION OF A PRELIMINARY, TEMPORARY, OR PROPRIETARY NATURE OR OF LIMITED INTEREST OR SIGNIFICANCE. THEY CARRY A DEPARTMENTAL ALPHANUMERICAL IDENTIFICATION.
3. TECHNICAL MEMORANDA, AN INFORMAL SERIES, CONTAIN TECHNICAL DOCUMENTATION OF LIMITED USE AND INTEREST. THEY ARE PRIMARILY WORKING PAPERS INTENDED FOR INTERNAL USE. THEY CARRY AN IDENTIFYING NUMBER WHICH INDICATES THEIR TYPE AND THE NUMERICAL CODE OF THE ORIGINATING DEPARTMENT. ANY DISTRIBUTION OUTSIDE DTNSRDC MUST BE APPROVED BY THE HEAD OF THE ORIGINATING DEPARTMENT ON A CASE-BY-CASE BASIS.